

PREMIER



MOTO GUZZI

Motor Corporation

P.O. Box 145

RAILROAD STREET AND PLANT ROAD
(201) 288-9696-7, 288-6600-1-2-3
TELEX: 134-527

HASBROUCK HEIGHTS, NEW JERSEY 07604
(212) 736-3940 CABLE ADDRESS: PREMOTOR
EXCLUSIVE DISTRIBUTOR IN THE UNITED STATES AND CANADA

March 17, 1981

Dear Dealer:

Enclosed please find 1981 price list supplement consisting of nineteen pages, also one page covering a 1981 supplement for tools. This supplement should be used in conjunction with our January 1, 1980 price list. The items listed on the supplement supersede the ones shown in the 1980 price list and on all the rest of the items the prices remain the same.

The letters written to you on June 3, 1980 where we have added a surcharge of 10%, and in our letter of December 26, 1980 where we cancelled the surcharge, should be disregarded. The prices in the enclosed supplement list have been carefully calculated and adjusted to reflect a minimum increase and on certain items some prices were decreased.

These prices will go into effect as of April 1st, 1981.

Very truly yours,

PREMIER MOTOR CORPORATION

PARTS DEPARTMENT

TOOLS FOR 1981 SUPPLEMENT

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|--------------------|--------------|
| 1090 0600 | Tool | 2.50N |
| 1090 7200 | Tool | 38.50N |
| 1290 4700 | Puller | 38.50N |
| 1290 6500 | Tool | 14.80N |
| 1290 6900 | Puller | 39.80N |
| 1290 9090 | Feeler gauge | 3.20N |
| 1291 1801 | Tool | 14.80N |
| 1291 3700 | Extractor | 25.50N |
| 1490 5400 | Tool | 9.50N |
| 1491 3100 | Tool | 42.50N |
| 1491 3700 | Tool | 42.50N |
| 1492 6500 | Tool | 14.50N |
| 1492 7200 | Tool | 14.50N |
| 1492 8500 | Tool | 49.50N |
| 1792 9900 | Tool kit | 37.50N |
| 1891 2450 | Eng. support | 75.00N |
| 1990 5400 | Tool | 11.50N |
| 1990 7800 | Tool | 21.50N |
| 1992 6200 | Tool | 11.50N |
| 1992 6600 | Tool | 10.50N |
| 1992 6700 | Tool | 10.50N |
| 1992 7600 | Tool | 23.50N |
| 1992 8100 | Tool - arrow | 12.50N |
| 1992 8800 | Tool | 22.50N |
| 2552 2101 | Tool | 9.50N |
| 2690 7800 | Tool | 39.50N |
| 4890 2770 | Tool | 13.50N |
| 4892 9970 | Tool kit | 3.00N |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|-------------------------------------|--------------|--------------|------------------------------|--------------|
| 0095 0001 | Brown paint | 10.80N | 1210 5402 | Fuel tap RH | 14.80 |
| 0095 0004 | Blue Elec. paint | 10.80N | 1210 6501 | Fuel line | 7.50 |
| 0095 0006 | Orange paint | 10.80N | 1210 6505 | Fuel line | 11.20 |
| 0095 0011 | Wrinkle Black paint | 10.80N | 1211 3600 | Air cleaner element | 11.20 |
| 0095 0012 | Blue Paint | 10.80N | 1211 4300 | Rubber sleeve | 13.40 |
| 0095 0016 | Green Moped paint | 10.80N | 1211 4301 | Rubber sleeve | 13.40 |
| 0095 0017 | Red LeMans paint | 10.80N | 1212 0200 | Lock nut | 10.90B |
| 0095 0018 | Yellow Moped paint | 10.80N | 1212 0900 | Exhaust pipe | 39.50 |
| 0095 0020 | Gray paint | 10.80N | 1212 0905 | Exhaust pipe | 39.50 |
| 0095 0021 | Black paint | 10.80N | 1212 2900 | Silencer | 97.50 |
| 0095 0025 | White paint | 10.80N | 1212 3000 | Silencer | 97.50 |
| 0095 0026 | Light Blue Moped paint | 10.80N | 1212 3900 | Connecting tube | 12.90 |
| 0095 0034 | Red paint | 10.80N | 1215 5700 | Oil breather unit | 31.50B |
| 0095 0036 | Red paint | 10.80N | 1215 5701 | Oil breather | 31.50B |
| 0095 0037 | Blue paint | 14.80N | 1221 0502 | Mainshaft | 67.50N |
| 0095 0039 | Dull Black paint | 10.80N | 1221 0700 = | 1221 0701-Shaft | 48.00B |
| 1003 4100 | Nut | .55N | 1221 0701 | Shaft | 48.00B |
| 1050 2250 | Washer | .70 | 1221 3600 | Layshaft | 52.80B |
| 1052 8900 | Washer | .25 | 1221 4401 | Gear | 32.00B |
| 1200 1200 | Gasket | 3.20 | 1221 5002 | Gear & Bush | 34.00B |
| 1200 6600 | Bolt | 10.90 | 1223 0701 | Sleeve | 53.80 |
| 1200 7200 | Breather tube | 19.80 | 1223 1501 | Sleeve | 53.80 |
| 1201 1700 | Pin | 1.25 | 1225 0900 | Pedal | 49.00B |
| 1201 1800 | Gasket | 1.90 | 1232 7700 | Sleeve | 12.40 |
| 1202 0200 | Cylinder A | 142.50 | 1232 8001 | Double joint improved | 112.00B |
| 1202 0200 | Cylinder B | 142.50 | 1235 0700 | Gasket | .60 |
| 1202 0200 | Cylinder C | 142.50 | 1235 1100 | Ring | 2.20 |
| 1202 1700 | Bolt - rod | 6.20 | 1235 1400 | Journal bearing | 82.80 |
| 1202 1800 | Bolt | 6.20 | 1235 1601 | Gasket | .30 |
| 1202 2000 | Gasket | 4.90 | 1235 4600 | Bevel gear set 8/37 ratio | 158.00B |
| 1202 2101 | Cylinder head | 135.00B | 1235 4670 | Seat gears for side car | 158.00B |
| 1202 2201 | Cylinder head LH | 135.00B | 1235 5202 | Shim | .30 |
| 1202 2600 | Plug | 3.75 | 1235 5203 | Shim | .30 |
| 1202 3700 | Gasket | 2.40 | 1235 5303 | Shim | .70 |
| 1203 0200 | Rocker arm RH-Int. or LH for ex. | 42.80 | 1235 6700 | Nut | 4.75 |
| 1203 0400 | Rocker arm LH-Int. or RH for ex. | 42.80 | 1243 0301 | Stand | 43.50B |
| 1203 8100 | Semi cones pair | 1.40 | 1243 2800 | Bolt | 4.80 |
| 1204 5001 | Push rod | 26.50 | 1243 4001 | Spring | 1.45 |
| 1205 3302 | Camshaft | 89.00B | 1243 5700 | Stay | 42.00B |
| 1205 4000 | Flange | 21.80 | 1243 5900 | Stay | 32.00B |
| 1206 0202 | Piston compl.A | 54.80B | 1244 2800 | Plate | 4.80B |
| 1206 0202 | Piston compl.B | 54.80B | 1247 4920 | Number plate | |
| 1206 0202 | Piston compl.C | 54.80B | Refer to: | 1447 4920 | |
| 1206 0600 | Piston ring set | 18.90 | 1249 4180 | Stem | 35.80 |
| 1206 4201 | Crankshaft | 192.00B | 1249 6121 | H.L. Bracket | 39.50 |
| 1206 7000 | Flywheel | 98.90B | 1249 6221 | H.L. Bracket | 39.50 |
| 1208 2901 | Pressure plate | 70.80 | 1250 1500 | Instr. panel | 71.80 |
| 1208 6002 | Inner body | 9.80 | 1252 5800 | Bottom bushing | 10.70 |
| 1208 6101 | Outer body | 6.95 | 1252 7700 | Housing | 34.80 |
| 1208 6102 | Outer body | 6.95 | 1254 7200 | Spacer | 3.90 |
| 1209 0201 | Lever | 17.80 | 1254 8000 | Rubber gaiter | 4.20 |
| 1210 5401 | Tap | 14.80 | 1255 5351 | Boss (pin) | 2.90 |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|--------------------|--------------|--------------|--------------------|--------------|
| 1257 7250 | Windscreen | 37.50N | 1306 0162 = | 1306 0163-Cylinder | |
| 1260 0300 | Handlebar | 34.00 | | w/Piston B | 148.00B |
| 1261 0200 | Wheel compl. | 295.00B | 1306 0162 = | 1306 0163-Cylinder | |
| 1261 0800 | Wheel rim | 79.80B | | w/Piston C | 148.00B |
| 1262 0800 | Brake shoe | 30.80 | 1306 0201 | Piston compl. A | 57.50B |
| 1262 1400 | Lining | 3.80N | 1306 0201 | Piston compl. B | 57.50B |
| 1262 2500 | Cam | 12.80B | 1306 0201 | Piston compl. C | 57.50B |
| 1262 6700 | Rod | 2.90 | 1306 0260 = | 1306 0261-Piston | |
| 1263 3300 | Spindle | 28.40 | | compl. A | 53.80B |
| 1263 7400 | Shoe | 30.80 | 1306 0260 = | 1306 0261-Piston | |
| 1267 6001 | Brake rod | 7.80 | | compl. B | 53.80B |
| 1267 7005 | Brake pedal | 32.00B | 1306 0260 = | 1306 0261-Piston | |
| 1270 0114 | End cover compl. | 25.80B | | compl. C | 53.80B |
| 1270 3801 | Regulator | NA | 1306 0600 | Ring set compl. | 25.80 |
| 1270 3805 | Gen. regulator | 55.80 | 1306 0660 | Ring set | 18.80 |
| 1270 5500 | Stud | 1.75 | 1306 0700 | Piston ring | 6.90 |
| 1270 5600 | Gasket | 3.80 | 1306 4260 = | 1306 4261-Crank- | |
| 1270 6600 | Screw | 2.40N | | shaft | 192.00B |
| 1271 5431 | Rotor | 6.80 | 1307 1700 | Gear set | 119.00B |
| 1271 5434 | Seal | 2.00B | 1307 2001 | Gear | 45.80 |
| 1271 5442 | Weight spring | 2.95 | 1308 4100 | Spring | .65 |
| 1273 0519 | Armature | 48.00B | 1309 3021 | Cl. cable | 7.80 |
| 1273 0522 | Bush | 1.55 | 1309 3046 | Cable | 14.60 |
| 1273 0705 | Starter motor | 149.00N | 1309 3050 | Cl. cable | 18.50 |
| 1273 0741 | Armature | 42.80B | 1309 3061 | Cl. cable | 11.80 |
| 1273 0751 | Bushing | 2.90 | 1310 0220 | Gas tank White | 259.00B |
| 1273 0752 | Brush holder | 29.80 | 1310 0221 | Gas tank Black | 259.00B |
| 1273 2500 | Relay starter | | 1310 0220 = | 0222-Gas tank | |
| | motor | 12.20 | | Red | 259.00B |
| 1273 5300 | Switch | 14.80B | 1310 0240 | Fuel tank Black | 259.00B |
| 1273 5750 | Cover | TBA | 1310 0240 | Gas tank White | 259.00B |
| 1274 3700 | Horn | 27.80 | 1310 3960 | Tank cap | 11.80 |
| 1274 5760 | Switch | 9.60 | 1312 2960 | Muffler LH | 112.50 |
| 1275 3705 = | LUCAS 5458 1638 | | 1312 3060 | Muffler RH | 112.50 |
| | Lens | 3.90B | 1314 6201 | Oil pump | 67.80B |
| 1276 3300 | Ferrule compl. | 22.90 | 1314 6400 | Oil pump | 67.80B |
| 1278 1521 | Reflector Red | 5.80 | 1314 6402 | Oil pump | 67.80B |
| 1278 1621 | Reflex reflector | 5.80 | 1314 7700 | Gear | 27.50N |
| 1278 2200 | Lock set for tool | | 1314 7800 | Pump gear | 22.80B |
| | box | 39.80 | 1314 8400 | Gear | 24.50 |
| 1293 3000 | Float | 19.80 | 1320 0860 = | 1320 0861-Cover | 72.80 |
| 1293 3700 | Plug | 6.80N | 1325 1240 | Spindle | 5.40N |
| 1300 1400 | Timing cover | 54.80 | 1325 7740 | Rod | 4.50 |
| 1302 0200 = | 01-Cylinder A | 142.50 | 1325 8240 | Lever | 22.50 |
| 1302 0200 = | 01-Cylinder B | 142.50 | 1325 8245 | Lever | 22.50 |
| 1302 0200 = | 01-Cylinder C | 142.50 | 1325 8260 | Lever | 22.50 |
| 1302 0800 | Gasket | 1.45 | 1335 4600 | Bevel gear | 158.00B |
| 1302 1900 | Nut | 2.90B | 1343 4322 | Frnt.fender Black | 54.00B |
| 1302 2001 | Gasket | 4.40 | 1343 4323 | Frnt.fender | 54.00B |
| 1302 9840 | Boot protection | 7.25 | 1343 4341 | Frnt.fender White | 54.00B |
| 1303 6000 | Inlet valve | 28.50 | 1343 4345 | Chrome Frnt.fender | 85.00B |
| 1303 6100 | Exhaust valve | 31.50 | 1343 4362 | Frnt.fender Chrome | 85.00B |
| 1305 4502 | Gear | 47.80 | 1343 5741 | Brace for frt. | |
| 1305 8000 | Chain | 34.50 | | fender | 35.00B |
| 1305 8200 | Chain tensioner | 10.40 | 1343 5941 | Bracket | 35.00B |
| 1306 0162 = | 1306 0163-Cylinder | | 1343 6840 | Bracket | 22.80 |
| | w/Piston A | 148.00B | | | |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|-----------------------|--------------|--------------|--------------------|--------------|
| 1343 7020 | Rear fender Black | 67.50 | 1376 1643 | Speedometer | 76.80B |
| 1343 7020 | Rear fender Silver | 67.50 | 1391 7820 | Decal | 1.40 |
| 1343 7020 = | 1343 7021-Rear fender | | 1391 7821 | Decal | 1.40 |
| | White w/Red | 67.50 | 1391 7900 | Decal | .45 |
| 1343 7040 | Rear fender White | | 1391 9600 | Decal | 2.40 |
| | w/Black | 67.50 | 1391 9700 | Decal | 2.80 |
| 1344 2360 | Rear footrest | 10.50 | 1393 3000 | Float | 15.20 |
| 1345 0440 | Safety bar | 35.80N | 1393 4900 | Screw | .75 |
| 1345 8240 | Safety bar | 28.80B | 1393 6000 | Starter jet | 3.25 |
| 1345 8840 | Safety bar | 28.80B | 1393 7000 | Cap | .75 |
| 1346 0542 | Solo seat | 85.00 | 1393 7600 | Spring | .55 |
| 1346 0560 | Seat | 85.00 | 1393 7700 | Needle | 3.40 |
| 1347 6020 | Toolbox White | 32.00 | 1393 8800 | Pump | 28.40 |
| 1347 6020 | Toolbox Black | 32.00 | 1399 9000B | Gasket set | 26.80 |
| 1347 6020 | Toolbox Red | 32.00 | 1400 0700 | Crankcase | 290.00B |
| 1347 6025 | Toolbox Black | 32.00 | 1400 1400 | Cover | 79.00 |
| 1347 6026 | Toolbox Red | 32.00 | 1400 3240 | Flange for speed | |
| 1347 6027 | Toolbox White | 32.00 | | kit | 42.00N |
| 1347 6120 | Toolbox Black | 32.00 | 1400 3500 | Oil sump | 89.50 |
| 1350 4441 | Sleeve nut | 18.60 | 1400 3600 | Gasket | 3.50 |
| 1350 4541 | Plug | 6.20 | 1401 1900 | Flange | 54.80 |
| 1350 6840 | Bracket | 18.20 | 1401 1901 | Flange | 54.80 |
| 1350 6940 | Bracket | 18.20 | 1401 1902 | Flange | 54.80 |
| 1352 5441 | Fork tube | 92.00 | 1401 1903 | Flange | 54.80 |
| 1360 0340 | Handlebar | 53.60 | 1402 0200 | Cylinder A | 142.50 |
| 1360 3460 | Twist grip | 15.40 | 1402 0200 | Cylinder B | 142.50 |
| 1360 7540 | Cable | 1.80 | 1402 0200 | Cylinder C | 142.50 |
| 1361 4140 | Frt. axle | 31.80 | 1402 0840 | Gasket for speed | |
| 1361 4160 | Axle | 31.80 | | kit | 7.00 |
| 1362 5446 | Brake cable | 9.40 | 1402 0850 | Gasket | 2.90 |
| 1362 5546 | Brake cable | 17.80 | 1402 2001 | Gasket | 5.60 |
| 1362 5560 | Brake cable | 17.80 | 1402 2050 | Gasket | 5.60 |
| 1367 5440 | Spindle | 18.60 | 1402 2150 | Cylinder head RH | 162.00B |
| 1367 6060 | Rod | 13.80 | 1402 2250 | Cylinder head LH | 162.00B |
| 1367 7041 | Brake lever | 36.80 | 1403 0200 | Rocker RH | 49.80 |
| 1370 5220 | Battery cover | 32.80 | 1403 0400 | Rocker LH | 49.80 |
| 1370 5220 | Battery cover | 32.80 | 1403 6050 | Inl. valve | 28.50 |
| 1370 5220 | Battery cover | 32.80 | 1403 6150 | Ex. valve | 31.50 |
| 1370 5225 | Battery cover | | 1405 3300 | Cam | 92.80B |
| | Black | 32.80 | 1405 3301 | Camshaft | 92.80B |
| 1370 5226 | Cover Red | 32.80 | 1406 0250 | Piston A | 62.00B |
| 1370 5227 | Cover White | 32.80 | 1406 0250 | Piston B | 62.00B |
| 1370 5420 | Cover White | 32.80 | 1406 0285 | Piston std.compl. | 62.00B |
| 1370 5420 | Cover Black | 32.80 | 1406 0351 | Piston 1st | 62.00B |
| 1370 5420 | Cover Red | 32.80 | 1406 0352 | Piston 2nd | 62.00B |
| 1370 5425 | Cover Black | 32.80 | 1406 0385 | Piston 1st ovs. | 62.00B |
| 1370 5426 | Cover Red | 32.80 | 1406 0386 | Piston 2nd ovs. | 62.00B |
| 1370 5427 | Cover White | 32.80 | 1406 0600 | Ring set | 29.80 |
| 1370 6600 | Screw Knob | 2.45 | 1406 0685 | Ring set std. | 34.80 |
| 1371 7460 | Rubber cover | 2.20 | 1406 0686 | Ring set 1st | 34.80 |
| 1373 0726 | Solenoid | 69.80 | 1406 0687 | Ring set 2nd | 34.80 |
| 1373 0747 | Brush | 2.70 | 1406 0700 | Piston ring | 8.75 |
| 1375 3760 | Lens | 3.80 | 1406 0705 | Ring | 8.75 |
| 1376 1521 | Speedometer | | 1406 1501 | Connecting rod | |
| Refer to: | 1476 1620 | | Refer to: | 1406 1550 | |
| 1376 1642 | Speedometer | 65.00B | 1406 2201 | Bolt | 6.20 |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|------------------------------------|-----------------------------|--------------|--|----------------------------|--------------|
| 1406 4200 | Crankshaft | 209.00B | 1412 2941 | RH Megaphone for speed kit | 65.00N |
| 1406 4203 | Crankshaft | 209.00B | 1412 2951 | Muffler LH | 112.50 |
| 1406 7000 | Flywheel | 102.00B | 1412 2955 | Muffler LH | 112.50 |
| 1406 7050 | Flywheel | 102.00B | 1412 3005 | Muffler | 82.00B |
| 1407 1700 | Gear set | 109.00B | 1412 3041 | RH Megaphone for speed kit | 65.00N |
| 1407 2001 | Engine sprocket | 38.40 | 1412 3051 | Muffler RH | 112.50 |
| 1408 4450 | Clutch plate | 28.80B | 1412 3055 | Muffler RH | 112.50 |
| 1408 5700 | Rod | 5.60 | 1412 3941 | Connecting tube | 11.80 |
| 1409 0201 | Lever | 17.20 | 1413 3550 | Starting cable | 1.80 |
| 1409 0202 | Lever | 17.20 | 1415 3000 | Filter | 10.90 |
| 1409 0400 | Screw | 1.35 | 1415 5700 | Oil breather assy. | 20.90 |
| 1409 3001 | Clutch cable | 10.80 | 1415 7400 | Tube | 1.90 |
| 1409 3002 = 1409 3001-Clutch cable | | 10.80 | 1415 7500 | Tube | 1.10 |
| 1410 0220 | Gas tank Red | NA | 1415 8200 | Oil pressure valve | 19.50 |
| 1410 0220 | Gas tank Black | NA | 1420 0811 | Cover | 87.80 |
| 1410 0251 | Gas tank Red | 215.00B | 1420 1110 | Gasket | .90 |
| 1410 0252 | Gas tank Blue | 215.00B | 1421 0511 | Shaft | 112.00B |
| 1410 0257 | Gas tank Black w/Red | 215.00B | 1421 0513 | Mainshaft | 112.00B |
| 1410 0258 | Gas tank Black w/White | 215.00B | 1421 0701 | Shaft | 48.00B |
| 1410 2600 | Strap | 3.50 | 1421 0702 | Shaft | 48.00B |
| 1410 3400 | Bushing | .90 | 1421 1200 | Coupling muff | 17.50 |
| 1410 3955 | Gas cap | 10.50 | 1421 1201 | Cushion drive shaft | 18.50 |
| 1410 4055 | Cover | 14.20 | 1421 2010 | Gear | 58.80 |
| 1410 4455 | Lock w/key | 16.80 | 1421 2013 | Gear | 58.80 |
| 1411 2602 | Carburator RH | 65.00B | 1421 2210 | Bush | 29.80 |
| 1411 2603 | Carburator LH | 65.00B | 1421 3000 | Bushing | 23.80 |
| 1411 2640 | RH Carburator for speed kit | 87.50N | 1421 3001 | Bushing | 23.80 |
| 1411 2641 | LH Carburator for speed kit | 87.50N | 1421 3610 | Layshaft | 69.80 |
| 1411 2650 | Carburator | 92.50N | 1421 3611 | Shaft | 69.80 |
| 1411 2651 | Carburator | 92.50N | 1421 3612 | Layshaft | 69.80 |
| 1411 4300 | Rubber | 17.50 | 1421 4210 | Gear | 61.90 |
| 1411 4350 | Sleeve | 5.80 | 1421 4510 | Gear | 58.80 |
| 1411 4401 | Air intake | 10.90 | 1421 7410 | Nut | 3.40 |
| 1411 4450 | Air funnel | 10.90 | 1421 8401 | Ring | .60 |
| 1411 5002 | Int. manifold | 18.20 | 1421 9401 | Spacer | 1.95 |
| 1411 5003 | Int. manifold | 18.20 | 1423 0501 | Fork | 59.80 |
| 1411 5040 | Manifold for speed kit | 25.80N | 1423 0711 | Sliding sleeve 1st & 2nd | 52.80 |
| 1411 5041 | Manifold for speed kit | 25.80N | 1423 1012 | Sliding sleeve | 52.80 |
| 1411 5050 | Manifold | 18.20 | 1423 1201 | Fork | 59.80 |
| 1411 5051 | Manifold | 18.20 | 1423 2400 | Rod | 15.40 |
| 1411 5500 | Gasket | 1.05 | 1423 2510 | Sleeve | 36.80 |
| 1411 7555 | Throttle cable | 9.40 | 1423 2511 | Slide | 36.80 |
| 1412 0900 | Ex. pipe RH | 39.00 | 1423 2512 | Sleeve | 36.80 |
| 1412 0905 | Ex. pipe | 39.00 | 1423 4400 = 1423 4401-Drum | | 97.50 |
| 1412 0906 | Ex. pipe | 59.80 | 1423 4405 | Drum | 97.50 |
| 1412 0985 | Ex. pipe RH | 59.80 | 1423 6201 = 6202-Pre-selector complete | | 46.80 |
| 1412 0986 | Ex. pipe LH | 59.80 | 1423 8201 | Spring | 1.20 |
| 1412 2901 | Muffler | 112.50 | 1425 2000 | Bush | 2.20 |
| 1412 2905 | Muffler | 82.00B | 1425 3100 | Clip | 12.25 |
| | | | 1425 8000 | Joint | 24.50 |
| | | | 1432 8040 | U Joint | 116.00B |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|---------------------|-------------------------|--------------|---------------------|-----------------------------|--------------|
| 1433 5203 | Elastic coupling | 56.80B | 1449 0220 = | 0245-Frt.fork | 389.00B |
| 1433 5350 | Ring | 6.30 | 1449 3100 | Upper plate | 72.00 |
| 1433 5650 | Flange | 9.80 | 1449 4050 | Fork base compl. | 87.50 |
| 1433 6803 | Rubber | 1.65 | 1449 6151 | RH Holder Black | 18.90 |
| 1435 4640 | Bevel gear set | 158.00B | 1449 6185 | RH Stay tube | 18.90 |
| 1440 0150 | Frame | 249.00B | 1449 6251 | LH Holder Black | 18.90 |
| 1442 3800 | Rubber | .60 | 1449 6285 | LH Tube | 18.90 |
| 1442 9500 | Bolt (Rod) | 6.10 | 1449 6700 | HL Bracket RH | 18.90 |
| 1442 9505 | Rod | 6.10 | 1449 6800 | HL Bracket LH | 18.90 |
| 1442 9600 | Bolt | 6.10 | 1450 4500 | Upper plug | 4.60 |
| 1443 0303 | Center stand | 45.00 | 1450 4502 | Plug | 6.20 |
| 1443 0350 | Center stand | 45.00 | 1451 6401 | Plate | 7.60 |
| 1443 2001 | Side stand compl. | | 1451 7000 | Rubber ring | .95 |
| Refer to: 1443 2050 | | | 1451 7100 | Bush | .95 |
| 1443 3500 | Bushing | 2.20 | 1452 2550 | Fork leg RH | 92.00 |
| 1443 4000 | Spring | 1.60 | 1452 2600 | Fork leg LH | 92.00 |
| 1443 4105 | Bracket | 11.20 | 1452 2650 | Fork leg LH | 92.00 |
| 1443 4457 | Frt. fender Red | 62.50 | 1452 4500 | Rubber dust cover | 3.20 |
| 1443 4458 | Frt. fender | 62.50 | 1452 5400 = | 5401-Fork tube | 95.80 |
| 1443 7001 | Rear fender tail | 39.00B | 1452 6455 | Damper | 32.80 |
| 1443 9001 | Knob | 3.50 | 1452 7601 | Cap | 5.45 |
| 1444 0200 | Footpeg RH-frt. | | 1452 7800 | Tube | 15.80B |
| | LH-rear | 9.10 | 1454 7000 | Pin | 7.90 |
| 1444 1300 | Footpeg RH-rear | | 1454 7001 | Pin | 7.90 |
| | LH-frt. | 9.10 | 1454 7800 | Nut | 4.90 |
| 1444 1350 | Pedal | 12.80 | 1455 0201 | Shock | |
| 1444 2350 | Footrest arm | 5.90N | Refer to: 1755 0261 | | |
| 1444 3200 | Footrest rubber | 4.60 | 1455 0250 | Rear shock | 94.80 |
| 1444 3600 | Footboard RH attachment | 35.00 | 1455 2300 = | 2301-Spring | 26.80 |
| 1444 3650 | RH Footrest | 17.50 | 1457 7250 | Windshield | 21.50N |
| 1444 3651 | RH Footboard | 17.50 | 1457 7255 | Windscreen | 72.50N |
| 1444 3652 | RH Footboard | 17.50 | 1457 8650 | Support | 9.20 |
| 1444 3653 | RH Footrest | 19.50 | 1457 8655 | Upper holder | 9.20 |
| 1444 6052 | LH Footboard | 17.50 | 1457 8750 | Support | 9.20 |
| 1444 6101 | Footpeg | 35.80 | 1460 0651 | Handlebar RH | 33.50 |
| 1444 7200 | Plate RH | 10.70 | 1460 3000 | Rubber grip | 4.30 |
| 1444 7300 | Plate LH | 10.70 | 1460 5605 | Brake lever | 14.20 |
| 1446 0545 | Seat | 89.80 | 1460 5650 | Lever | 19.20 |
| 1446 1552 | Seat | 85.00 | 1460 5750 | Lever | 14.20 |
| 1446 2250 | Handle (Strap) for seat | 11.50 | 1461 0251 | Frt.wheel compl. | 332.00B |
| 1446 4350 | Handle | 6.20 | 1461 0256 | Frt.wheel compl. | 375.00B |
| 1446 4351 | Handle | 6.20 | 1461 0351 | Frt.wheel | 175.00B |
| 1446 4355 | Handle | 6.80 | 1461 0805 | Frt.wheel rim | 34.00B |
| 1447 4650 | T.L. Holder | 9.40 | 1461 4102 | Spindle | 35.80 |
| 1447 4651 | T.L. Holder | 9.40 | 1461 4106 | Frt. axle | 35.80 |
| 1447 6251 | RH Cover Red | 62.80 | 1461 4120 | Axle | 35.80 |
| 1447 6252 | RH Cover Blue | 62.80 | 1461 4150 | Axle | 35.80 |
| 1447 6286 | RH Cover Red | 62.80 | 1461 4155 | Axle | 35.80 |
| 1447 6287 | RH Cover White | 62.80 | 1461 5201 | Spacer | 7.50 |
| 1447 6351 | LH Cover Red | 62.80 | 1461 6320 | Spacer | 4.40 |
| 1447 6352 | LH Cover Blue | 62.80 | 1462 0301 | Flange | 33.80 |
| 1447 6386 | LH Cover Red | 62.80 | 1462 2005 | Frt. br. lining | 7.95 |
| 1447 6387 | LH Cover White | 62.80 | 1462 5400 | Frt. br. cable | 7.10 |
| 1449 0200 | Frt. fork | 389.00B | 1462 5500 | Cable compl. w/ stop switch | 14.10 |
| | | | 1463 0651 | Rear wheel | 195.00B |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|--------------------|--------------|--------------|---------------------|--------------|
| 1463 2250 | Hub | 47.80 | 1475 0681 | Frnt. Ind. LH | 22.80 |
| 1463 3301 | Axle | 35.80 | 1475 0686 | Dir. light | 22.80 |
| 1463 4050 | Spacer | 10.80 | 1475 1350 | Support | 14.20 |
| 1465 2200 = | 2201-Hydraulic | | 1475 1680 | Rear Ind. RH | 22.80 |
| | pliers | 89.00B | 1475 1681 | Rear Ind. LH | 22.80 |
| 1465 3001 | Caliper | 89.00B | 1475 3786 | Lens | 8.90 |
| 1465 6800 | Junction block | 9.60 | 1476 0450 | Speedom. cable | 21.80 |
| 1465 7000 | Stop switch | 9.60 | 1476 1620 | Speedometer | 55.00B |
| 1465 7050 | Stop switch | 9.60 | 1476 2510 | Speedom. drive | 26.80B |
| 1465 7500 | Flexible hose | 38.80 | 1476 5855 | Support | 11.80 |
| 1465 8851 | Flexible hose | 37.80 | 1476 5955 | Support | 11.80 |
| 1465 9000 | Caliper kit | 13.90 | 1476 6255 | Instr. panel | 24.80B |
| 1465 9400 | Lever screw kit | 4.80B | 1476 6950 | Instr. support | |
| 1465 9450 | Pump kit | 4.80B | | Refer to: 1976 6950 | |
| 1466 1300 | Rubber | 4.80 | 1476 6955 | Instr. support | 24.80B |
| 1466 3800 | Rubber cover | 2.60 | 1476 7200 | Tachom. magnetio | 65.00B |
| 1466 3850 | Dust cap | 2.60 | 1476 7201 | Tachometer | 65.00B |
| 1467 7005 | Rear br. lever | 35.80 | 1476 7250 | Tachometer | 65.00B |
| 1467 9301 | Cable compl. | 11.80B | 1476 8651 | Lamp socket | 2.20 |
| 1470 4500 | Battery | 44.90N | 1476 8655 | Bulb socket | 2.20 |
| 1470 4550 | Battery | 49.90N | 1476 9100 | Support | 13.80 |
| 1470 4800 | Battery strap | 6.80 | 1476 9151 | Support | 29.80 |
| 1470 5350 | Battery wedge | 5.25 | 1476 9200 | Tachom.drive gear | 11.20 |
| 1470 7605 | Relay | 33.80 | 1478 2200 | Lock compl. | 38.20 |
| 1470 7700 | Cover | 3.60 | 1491 6201 | Transfer | 8.20 |
| 1471 2459 | Screw | 5.90 | 1491 7300 | Decal | 4.40B |
| 1471 2467 | Socket kit | 6.40B | 1492 2000 | Mark | 8.40 |
| 1471 5400 | Distributors | 89.00B | 1492 2085 | Mark | 6.40 |
| 1471 5429 | Point | 8.90 | 1492 3355 | Trim set | 9.80 |
| 1471 5430 | Point | 8.90 | 1493 1050 | Diaphragm | 8.40 |
| 1471 5433 | Condenser | 5.30 | 1493 1850 | Plug | 4.70 |
| 1471 5434 | Condenser | 5.30 | 1493 3000 | Float | 16.20 |
| 1471 6200 | Gear | 10.80B | 1493 3150 | Cover | 4.70 |
| 1471 6500 | Coil | 34.50 | 1493 3550 | Lever | 3.60 |
| 1473 0514 | Bushing | 1.80 | 1493 5150 | Shaft | 9.50 |
| 1473 0519 | Armature | 74.00B | 1493 5850 | LH Shaft | 9.50 |
| 1473 0520 | Bushing | 5.60B | 1493 7150 | Pump valve | 3.50 |
| 1473 0526 | Brush set | 8.90 | 1493 7701 | Needle | 4.80 |
| 1473 0551 | Support | 32.80B | 1493 9150 | Needle valve | 10.50 |
| 1473 0706 | Starter motor | 169.00N | 1499 9000 | Gasket set | 26.80 |
| 1473 5300 | Switch w/key | 29.00B | 1499 9001 | Gasket set T | 35.80 |
| 1474 0456 | H.L. Rim | | 1499 9050 | Gasket set | 32.80 |
| Refer to: | 1747 0456 | | 1499 9500 | Seal set | 57.80 |
| 1474 0458 | H.L. Body | 27.80 | 1700 4950 | Oil filler cap | |
| 1474 0483 | Seal beam | 44.80B | | Refer to: 1700 4951 | |
| 1474 1722 | Back end | 17.80B | 1703 4050 | Adj. screw | 5.20 |
| 1474 3700 | Horn | 32.80 | 1704 5050 | Tapper stem | 19.80 |
| 1474 3701 | Horn | 32.80 | 1704 5051 | Tapper stem | |
| 1474 6020 | Switch w/cable | 21.40B | | Refer to: 1704 5050 | |
| 1474 7100 | Wiring harness | 26.80B | 1706 0150A | Cylinder & piston | |
| 1474 7155 | Cable assy. | 42.80B | | assy. | 148.00B |
| 1474 8400 | Cable | 5.90 | 1706 0150B | Cylinder & piston | |
| 1474 8450 | Battery wire | 5.90 | | assy. | 148.00B |
| 1475 0650 | RHD Indicator | 20.80 | 1706 0150C | Cylinder & piston | |
| 1475 0651 | LHD Indicator | 20.80 | | assy. | 148.00B |
| 1475 0680 | Frnt. Ind. RH | 22.80 | 1706 0200 = | 01-Piston Compl.A | 62.00B |
| 1471 2457 | Rotor | 75.00B | 1706 0200 = | 01-Piston Compl.B | 62.00B |
| 1473 0553 | Armature | 45.80B | | | |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|----------------------------|--------------|--------------|---------------------------|--------------|
| 1706 0200 = | 01-Piston Compl. C | 62.00B | 1735 5402 | Shim 0.9mm | 1.60 |
| 1706 0250 | Piston Compl. A | 62.00B | 1735 5404 | Shim 1.0mm | 1.90 |
| 1706 0250 | Piston Compl. B | 62.00B | 1735 5408 | Shim 1.2mm | 2.60 |
| 1706 0250 | Piston Compl. C | 62.00B | 1735 5410 | Shim 1.3mm | 2.80 |
| 1706 0600 | Ring set | | 1742 0350 | RH Arm | 68.00 |
| Refer to: | 1006 0650 | | 1742 2150 | LH Arm | 68.00 |
| 1706 0601 | Ring set | | 1743 4060 | Spring | 1.10 |
| Refer to: | 1706 0650 | | 1743 4462 | Frnt.fender Blue | 63.80 |
| 1706 0650 | Piston ring set | 34.80 | 1743 4500 | Frnt.stay | 27.80 |
| 1706 0660 | Ring set | 34.80 | 1743 4650 | Frnt.arm | 27.80 |
| 1706 0661 | Ring set 1st ovs. | 34.80 | 1743 5000 | Rear stay | 27.80 |
| 1706 0662 | Ring set 2nd ovs. | 34.80 | 1743 5060 | Rear F/Brace | 27.80 |
| 1706 7000 | Flywheel | 97.80B | 1744 3600 | Footpeg RH | 36.50 |
| 1706 7050 | Flywheel | 97.80B | 1744 6000 | Footpeg LH | 36.50 |
| 1709 3050 | Clutch cable | 23.80 | 1745 0300 | Safety bar RH | 39.80 |
| 1709 3850 | Bellows | .80 | 1745 0400 | Safety bar LH | 39.80 |
| 1710 0202 | Tank | 212.00B | 1746 0570 | Seat w/handles | 132.00B |
| 1710 0203 | Tank Brown | 212.00B | 1746 4300 | Seat railing | 37.50B |
| 1710 0220 | Tank Black | 212.00B | 1746 8840 | Rubber support | 5.80 |
| 1710 0224 | Tank Blakk w/White stripes | 212.00B | 1747 6020 | Toolbox RH Black complete | 49.00 |
| 1710 0225 | Gas tank Black w/White | 212.00B | 1747 6120 | Toolbox LH Black complete | 49.00 |
| 1710 0251 | Tank | 212.00B | 1747 6224 | RH Cover Black | 76.80 |
| 1710 0253 | Fuel tank Brown | 212.00B | 1747 6225 | RH Cover White | 76.80 |
| 1710 0262 | Tank Blue | 212.00B | 1747 6253 | RH Cover Brown | 76.80 |
| 1710 0269 | Tank White | 212.00B | 1747 6262 | RH Cover Blue | 76.80 |
| 1710 3960 | Gas cap | 10.80 | 1747 6264 | RH Cover | 76.80 |
| 1710 6550 | Piping compl. | 10.80 | 1747 6270 | RH Cover | 76.80 |
| 1711 3650 | Air filter | 9.60 | 1747 6324 | LH Cover Black w/Gold | 76.80 |
| 1711 3651 | Air filter | 9.60 | 1747 6325 | LH Cover Black w/White | 76.80 |
| 1711 4350 | Intake manifold | 14.80 | 1747 6353 | LH Cover Brown | 76.80 |
| 1711 4450 | Air funnel | 12.25 | 1747 6362 | LH Cover Blue | 76.80 |
| 1711 7500 | Throttle cable | 9.40 | 1747 6364 | LH Cover White | 76.80 |
| 1711 7561 | Throttle cable | 6.80 | 1747 6370 | Cover | 76.80 |
| 1712 0965 | RH Ex. pipe | 65.80 | 1747 8550 | Pin | 3.70 |
| 1712 0966 | LH Ex. pipe | 65.80 | 1747 9650 | Toolbox | 23.80 |
| 1712 2960 | Muffler | 112.50 | 1749 0201 | Frnt. fork | 439.00B |
| 1712 3060 | Muffler | 112.50 | 1749 0261 | Frnt. fork | 439.00B |
| 1712 3950 | Exp. chamber | 74.80 | 1749 4000 | Fork yoke compl. | 98.00 |
| 1715 0551 | Air valve | 6.70 | 1750 0200 | Bracket | 8.90 |
| 1715 4850 | Rubber elbow | 2.30 | 1750 0760 | Screw | 8.90 |
| 1715 4950 | Rubber pipe | 2.30 | 1750 6840 | Windscreen RH bracket | 7.20 |
| 1715 9600 | Oil tube RH | 9.10 | 1750 6940 | Windscreen LH bracket | 7.20 |
| 1715 9650 | Vent hose | 9.10 | 1751 6600 | Bushing | 9.90 |
| 1715 9700 | Oil tube LH | 9.10 | 1751 7700 | Badge | .70 |
| 1725 0840 | Shift lever | 55.00B | 1752 2520 | Fork leg RH | 69.80B |
| 1725 0950 | Shift lever | 54.00 | 1752 2560 | Fork leg LH | 69.80B |
| 1725 0960 | Shift lever | 59.80 | 1752 2620 | Fork leg LH | 69.80B |
| 1732 8050 | Double joint | 116.00B | 1752 2660 | Fork leg RH | 69.80B |
| 1735 0300 | Trans.housing | 87.50 | 1753 0260 | Fork shock | 22.80B |
| 1735 0700 | Gasket | .60 | 1755 0260 | Rear shock | 94.80 |
| 1735 1400 | Drive flange | 91.80 | | | |
| 1735 4650 | Bevel gear | 158.00B | | | |
| 1735 4690 | Bevel gear set | 158.00B | | | |
| 1735 5400 | Shim 0.8 mm | 1.40 | | | |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|---------------------|----------------------|--------------|--------------|-----------------------------|--------------|
| 1755 0261 | Shock | 94.80 | 1761 4160 | Axle front | 35.80 |
| 1755 0300 | Cover | 2.70 | 1763 0240 | Rear wheel | 289.00B |
| 1757 0362 | RH Rear side Blue | | 1763 0261 | Rear wheel compl. | 329.00B |
| Refer to: 1757 0366 | | | 1763 0640 | Rear wheel | 179.00B |
| 1757 0366 | RH Rear side Blue | 107.50N | 1763 0740 | Wheel rim | 94.80B |
| 1757 0462 | LH Rear side Blue | | 1763 3350 | Wheel axle | 35.80 |
| Refer to: 1757 0466 | | | 1763 3360 | Rear axle | 35.80 |
| 1757 0466 | LH Rear side Blue | 107.50N | 1763 4050 | Spacer | 5.90 |
| 1757 0860 = | 01-Bracket trans. | 12.60 | 1763 5751 | Rear disc | 59.00B |
| 1757 0861 | Trans.member | 12.60 | 1763 5850 | Bracket | 48.80 |
| 1757 1860 | Rubber guard | 8.50 | 1763 7400 = | 7403-Br.shoe | 30.80 |
| 1757 1960 | RH Rear support | 4.45 | 1765 2260 | LH Frt.caliper | 89.00B |
| 1757 2160 | LH Rear support | 4.45 | 1765 2360 | RH Frt.caliper | 89.00B |
| 1757 3560 | RH Side guard | 12.60 | 1765 7100 | Hose | 27.50 |
| 1757 3561 | Toggel RH | 12.60 | 1765 7101 | Hose | 27.50 |
| 1757 3860 | Rubber block | .80 | 1765 7161 | Hose | 39.80 |
| 1757 3960 | Plug | 1.05 | 1765 8050 | Rigid pipe | 6.20 |
| 1757 4560 | LH Side guard | 12.60 | 1765 8360 | Clamp | 1.20 |
| 1757 4561 | Toggle LH | 12.60 | 1765 8460 | Clamp | 1.70 |
| 1757 5362 | Compl.fairing Blue | | 1765 8650 | Rigid pipe | 6.20 |
| Refer to: 1757 5370 | | | 1765 8750 | Rigid pipe | 8.20 |
| 1757 5367 | Fairing | | 1765 8950 | Rigid pipe | 6.20 |
| Refer to: 1757 5370 | | | 1765 9260 | Screw kit | 7.20 |
| 1757 5369 | Cowling compl. White | 249.00N | 1766 0250 | Frt.master cyl. | 62.00B |
| 1757 5370 | Compl. Fairing | 262.00N | 1766 0253 | Master cyl. | 62.00B |
| 1757 5462 | Cowling Blue | | 1766 1150 = | 1466 1100-Cover master cyl. | 8.80 |
| Refer to: 1757 5470 | | | 1766 1352 | Boot | 4.20 |
| 1757 5464 | Cowling White | | 1766 7550 | Control lever | 9.80 |
| Refer to: 1757 5469 | | | 1767 5050 | Rod compl. | 17.20 |
| 1757 5467 | Cowling Blue | | 1767 5051 | Connecting rod | 17.20 |
| Refer to: 1757 5470 | | | 1767 5151 | Tie rod | 4.10 |
| 1757 5469 | Cowling White | 159.00N | 1767 7050 | Brake pedal | 54.80 |
| 1757 5470 | Cowling Blue | 159.00N | 1767 7060 | Brake pedal | 54.80 |
| 1757 7260 = | 01-Windscreen | 107.50N | 1770 3800 | Regulator | 39.80B |
| 1757 8660 | RH Holder | 10.80 | 1771 2450 | Stator | 68.00B |
| 1757 8661 | LH Holder | 10.80 | 1771 2452 | Brush holder comp. | 28.80 |
| 1757 8960 | Gasket | 1.40 | 1771 2453 | Brush set | 7.20 |
| 1760 0270 | Handlebar | 48.00B | 1771 2457 | Rotor compl. | 115.00B |
| 1760 0300 | Handlebar Bare | 52.50 | 1771 9900 | Alternator kit | 25.80B |
| 1760 0320 | Handlebar | 64.50 | 1773 5000 | Switch | 9.80 |
| 1760 1820 | Support | 11.80 | 1773 5301 | Switch | 29.40B |
| 1760 2400 | Adj. screw | 2.20 | 1773 6450 | Bracket | 7.40 |
| 1760 3461 | Thr. control | 28.50 | 1773 8061 | Switch | 25.90 |
| 1760 5520 | Cl. lever compl. | 32.80 | 1774 0302 | Screw | 1.10 |
| 1760 5570 | Lever | 38.80 | 1774 0308 | Screw | .55 |
| 1760 5652 | Hand lever | 18.90 | 1774 0325 | Adjuster pin | .60 |
| 1760 5701 | Cl. lever | 13.20 | 1774 0326 | Spring | .60 |
| 1760 5750 | Cl. lever | 13.20 | 1774 0329 | Screw | .50 |
| 1761 0240 | Frt.wheel Compl. | 345.00B | 1774 0360 | Adj. screw | 1.05 |
| 1761 0340 | Frt. wheel | 189.00B | 1774 0421 | Chrome rim | 37.00B |
| 1761 0361 | Frt. wheel mag type | 179.00B | 1774 0422 | H.L. Body | 39.00B |
| 1761 0840 | Rim | 94.80B | 1774 0424 | Gasket | 9.70 |
| | | | 1774 0425 | Retaining ring | 22.80 |
| | | | 1774 0426 | Adjuster ring | 22.80 |
| | | | 1774 0520 | Headlight compl. | 139.00B |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|---------------------|-----------------------------|--------------|---------------------|--------------------|--------------|
| 1774 3000 | Fuse box | 14.80 | 1806 0652 | Ring 2nd ovs. | 34.80 |
| 1774 5760 | Dimmer switch | 12.80B | 1806 0660 | Ring set 4/10 | 34.80 |
| 1774 7150 | Wire assy. | 29.80B | 1806 0661 | Ring set 6/10 | 34.80 |
| 1774 7260 | Cable from inst. to H.L. | 15.80B | 1806 4201 | Crankshaft | 212.00B |
| 1775 0661 | Frnt.RH Blinker | 19.80 | 1806 4251 | Crankshaft | 212.00B |
| 1775 0662 | Frnt.LH Blinker | 19.80 | 1806 6950 | Flywheel | 106.00B |
| 1775 0761 | Gasket | 6.50 | 1806 7051 | Flywheel | 106.00B |
| 1775 0861 | Gasket | 6.50 | 1806 7052 | Flywheel | 106.00B |
| 1775 1100 | Ring | .50 | 1808 0350 | Clutch housing | 79.00 |
| 1775 1340 | Pursuit lamp RH bracket | 4.20N | 1808 2050 | Retaining ring | 1.95 |
| 1775 1440 | Pursuit lamp LH bracket | 4.20N | 1808 2350 | Plate | 7.60 |
| 1775 1650 | Rear ind. light | 20.80 | 1808 2450 | Plate | 4.40 |
| 1775 3320 | Pin for direct. light | 13.50 | 1808 5250 | Rod | 5.80 |
| 1775 3540 | Bracket | 18.50 | 1808 5850 | Bush | 6.90 |
| 1775 5860 | Connection | 1.80 | 1809 3040 | Cl. cable | 22.80 |
| 1775 6200 | Terminal block | .75 | 1809 3060 | Cl. cable | |
| 1775 6340 | Switch w/harness | 34.00 | Refer to: 1709 3050 | | |
| 1775 6740 | Bracket | 2.40N | 1809 3150 | Protective cap | 1.70 |
| 1775 8560 | RH Arm | 5.20 | 1810 0203 | Gas tank | |
| 1775 8561 | LH Arm | 5.20 | Refer to: 1710 0271 | | 212.00B |
| 1775 8565 | RH Arm indicator | 5.20 | 1810 0206 | Tank Silver | 212.00B |
| 1775 8566 | LH Arm indicator | 5.20 | 1810 0207 | Tank Black | 212.00B |
| 1776 1620 | Speedometer | 62.00B | 1810 0220 | Fuel tank White | 212.00B |
| 1776 1660 | Speedometer | 89.00B | 1810 0220 | Tank Black | 212.00B |
| 1776 2420 | Speedometer | 89.00B | 1810 0220 | Tank Black | 212.00B |
| 1776 6260 | Instr. panel | 22.40B | 1810 0240 | Gas tank Black | 212.00B |
| 1776 6930 | Instr. holder | | 1810 0251 | Fuel tank | 212.00B |
| Refer to: 1776 9131 | | | 1810 0252 | Fuel tank | 212.00B |
| 1776 7260 | Tacho | 69.00B | 1810 0253 | Fuel tank | 212.00B |
| 1776 8750 | Oil indicator | 6.60 | 1810 0254 | Fuel tank | 212.00B |
| 1776 9131 | Instr. holder | 27.80B | 1810 3050 | Fuel gauge | 11.90 |
| 1778 3060 | Clock | 62.50N | 1810 3150 | Cap | 1.10 |
| 1778 4960 | Voltmeter | 37.80B | 1811 7560 | Throttle cable | 6.80 |
| 1792 3355 | Moulding set Blue | 11.00B | 1811 7562 | Throttle cable | 6.20 |
| 1792 5050 | RH Cover grill | 5.95 | 1814 0250 | Oil tank | 39.00B |
| 1792 5150 | LH Cover grill | 5.95 | 1814 4350 | Gasket | .55 |
| 1793 9000 | Pump plunger | 4.60 | 1814 5150 = | 01-Pipe | 25.80 |
| 1793 9950 | Carb. over-hauling kit | 7.80 | 1814 5451 | Pipe | 25.80 |
| 1799 9050 | Gasket set | 35.80 | 1814 5550 | Pipe | 25.80 |
| 1799 9550 | Oil retainer set | 52.80 | 1814 5750 | Pipe | 25.80 |
| 1800 1150 | Flange | 4.10 | 1816 0450 | Inside rotor | 11.80 |
| 1800 1450 | Timing cover | 96.00 | 1816 0552 | Shaft | 11.80 |
| 1802 0250 | Cylinder A | 205.00 | 1816 0751 | Oil pump housing | 18.90 |
| 1802 0250 | Cylinder B | 205.00 | 1816 1050 | Plug | 3.90 |
| 1802 2050 | Gasket | 5.60 | 1816 2050 | Oil radiator | 109.00B |
| 1805 3351 | Camshaft | 92.80B | 1820 0250 | Transmission case | 69.80B |
| 1806 0250 | Piston compl.AorB | 62.00B | 1820 0350 | Gasket | .70 |
| 1806 0350 | Piston 4/10 | 62.00B | 1820 0550 | Convertor housing | 62.00B |
| 1806 0351 | Piston 6/10 | 62.00B | 1820 0850 | Cover | 62.80 |
| 1806 0650 | Ring set | 34.80 | 1821 0550 | Mainshaft | 82.80 |
| 1806 0651 | Ring 1st ovs. | 34.80 | 1821 0750 | Clutch shaft | 74.50 |
| | | | 1821 1051 | Support shim 2.1mm | 1.20 |
| | | | 1821 1052 | Support shim 2.2mm | 1.25 |
| | | | 1821 1054 | Support shim 2.4mm | 1.30 |
| | | | 1821 3550 | Layshaft | 77.50 |
| | | | 1821 3750 | Spacer | 11.80 |
| | | | 1821 4050 | Low-speed gear | 54.60 |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|---------------------|-----------------------------|--------------|-----------------------|----------------------------|--------------|
| 1821 4450 | Gear | 54.60 | 1844 9656 | Baffle | 24.20 |
| 1821 4951 | Shift sleeve | 74.50 | 1844 9657 | Baffle | 24.20 |
| 1821 5450 | Rear shim | .75 | 1844 9658 | Baffle Blue | 24.20 |
| 1821 7450 | Nut | .75 | 1844 9658 | Baffle White | 24.20 |
| 1823 3451 | Gear control fork | 67.50 | 1845 6480 | Bracket | 1.20N |
| 1823 3550 | Fork shaft | | 1845 7950 | RH Rear bar | |
| Refer to: 1823 3551 | | | Refer to: 1845 8251 | | |
| 1823 3551 | Fork shaft | 31.50 | 1845 8850 | Rear crashbar LH | 28.90 |
| 1823 3851 | Fork slide | 8.60 | 1846 0650 | Seat | 66.00B |
| 1823 4750 | Pawl | 2.80 | 1848 2557 | Bags | 59.00B |
| 1824 5350 | Flanged shaft | 58.50B | 1848 4050 | Lock w/keys | 6.50 |
| 1824 5550 | Bush | 11.20 | 1848 4060 | Lock set | 12.50 |
| 1824 5850 | Shaft w/drum | 89.00 | 1848 5040 | RH Bag holder | 29.80N |
| 1825 0850 | Trans. control lever | 57.80B | 1848 6540 | LH Bag holder | 29.80N |
| 1825 2050 | Bushing | .45 | 1848 7740 | Support | 9.80N |
| 1825 2360 | Screw | 6.25 | 1848 8860 | Bolt | .65 |
| 1825 6950 | Control lever | 6.40N | 1848 8960 | Washer | .30 |
| 1825 7551 | Swivel | 7.80 | 1849 0250 = | 01-Frt. fork | 439.00B |
| 1825 7650 = | 01-Transm. control complete | 31.80 | 1849 0251 | Frt. fork | 439.00B |
| 1825 8201 | Shift fork | 11.80N | 1849 0260 | Frt. fork | 439.00B |
| 1832 7700 | Sleeve | 19.60 | 1849 4060 | Yoke | 92.00 |
| 1832 8000 | Double joint w/shaft | 116.00B | 1850 0750 | Stud | |
| 1832 8250 | Rubber spacer | .55 | Refer to: 1850 0751 | | |
| 1835 4650 | Bevel gear set | 158.00B | 1850 0751 | Screw | 8.40 |
| 1835 5100 | Spacer | 3.40 | 1850 0760 | Screw | 9.40 |
| 1842 0360 | RH Arm | 112.50 | 1850 6850 | RH Bracket | 10.80 |
| 1842 2160 | LH Arm | 139.00 | 1851 3560 | Shim | 1.25 |
| 1842 3950 | Rear bomper bracket | 5.95 | 1852 2560 | Slider RH | 69.80B |
| 1843 0360 | Center stand | 62.80 | 1852 2660 | Slider LH | 69.80B |
| 1843 2050 | Side stand | 64.80 | 1852 6460 | Damper | |
| 1843 2060 | Side stand | 59.80 | Refer to: 1452 6455 | | |
| 1843 2450 | Retainer | 11.80 | 1852 7950 | Cap | 3.30 |
| 1843 2851 | Nut | 4.20 | 1854 0200 | Rear fork | 135.00B |
| 1844 0360 | Footrest | 7.90 | 1855 0250 = | 01-Rear shock | |
| 1844 5450 | Footrest support | 7.90 | Refer to: 1855 0260-1 | | |
| 1844 5460 | Rear footrest | 11.40 | 1855 0260 | Shock | 94.80 |
| 1844 7050 | Rubber | 8.90 | 1857 7250 | Windshield | NA |
| 1844 9420 = | 1844 9421-RH Spoiler | 24.20 | 1860 0301 | Handlebar | 59.50 |
| 1844 9451 | Frt. RH Baffle | 24.20 | 1860 3060 | Handlebar | 59.50 |
| 1844 9452 | Frt. RH Black Baffle | 24.20 | 1860 3461 | Throttle control | 29.80 |
| 1844 9456 | Baffle Silver | 24.20 | 1863 0260 | Rear wheel compl. | 359.00B |
| 1844 9457 | Baffle Black w/White | 24.20 | 1863 5750 | Rear disc | 59.00B |
| 1844 9458 | Baffle Blue | 24.20 | 1863 5860 | Bracket | 48.80 |
| 1844 9620 = | 01-LH Spoiler | 24.20 | 1865 3060 | Rear caliper | 98.00B |
| 1844 9651 | Frt. LH Silver Baffle | 24.20 | 1865 9750 | Eyelet | 1.20 |
| 1844 9652 | Frt. LH Black Baffle | 24.20 | 1867 5060 | Rod | 13.60B |
| 1844 9655 | Baffle Support | 8.20 | 1867 5160 | Conn. rod | 12.80 |
| | | | 1868 2350 | Brake cable | 24.80 |
| | | | 1868 6250 | Mech. Caliper | 102.00B |
| | | | 1868 9150 | Brake pad kit | 32.60B |
| | | | 1871 2450 | Alternator | 169.00N |
| | | | 1873 5040 | Engine start/stop braker | 11.20 |
| | | | 1873 8061 | Control | 31.80 |
| | | | 1874 0920 | Tail & stop light complete | 44.20B |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|--------------------|--------------|----------------------------|--------------------|--------------|
| 1874 1750 | Protection cap | 3.20 | 1902 7500 | Sleeve | 2.20N |
| 1874 6040 | Dimmer switch | 14.20 | 1903 2300 | Washer | .60 |
| 1875 0650 | RH Frt. Ind. | 29.80 | 1903 6050 | Int. valve | 28.50 |
| 1875 0651 | LH Frt. Ind. | 29.80 | 1903 6150 | Ex. valve | 31.50 |
| 1875 0654 | RH Indicator | 29.80 | 1904 5801 | Tappet | 11.40 |
| 1875 0655 | LH Indicator | 29.80 | 1905 3301 | Camshaft | 84.00B |
| 1875 0656 | LH Rear Ind. | 24.80 | 1905 4400 | T/Gear | 36.00 |
| 1875 0657 | RH Rear Ind. | 24.80 | 1905 4500 | T/Gear | 36.00 |
| 1875 1650 | RH Rear Ind. | 20.80 | 1905 5800 | Union | 13.80 |
| 1875 1651 | LH Rear Ind. | 20.80 | 1905 8000 | T/Chain | 34.50 |
| 1875 1652 | LH Frt. Ind. | 19.80 | 1905 8400 | Chain guide | 10.90 |
| 1875 1653 | RH Frt. Ind. | 19.80 | 1906 0150 | Cyl. & Piston | 139.00B |
| 1875 3550 | No. plate holder | | 1906 0250 | Piston compl.A.B. | |
| | Chrome | 9.80B | | or C | 57.50B |
| 1875 3551 | Ind. & No. plate | | 1906 0260 | Piston A,B,or C | 57.50B |
| | holder Black | 9.80B | 1906 0650 | Ring set | 24.80 |
| 1875 8550 | Plate | 8.20 | 1906 1500 | Conn. rod assy. | 62.80B |
| 1875 8551 | Plate | 8.20 | 1906 1500 | Conn. rod assy. | |
| 1875 9250 | Cable | 1.40 | | Blue dot | 62.80B |
| 1875 9350 | Support | 1.40 | 1906 4250 | Crankshaft Blue | |
| 1875 9450 | Interm. coil | 6.20 | | dot | 189.00B |
| 1875 9750 | Cable | 7.60 | 1906 4250 | Crankshaft White | |
| 1876 1600 | Speedometer | 77.80B | | dot | 189.00B |
| 1876 3350 | Bush & Pinion | 11.20 | 1906 5400 | Plug | .95 |
| 1876 3850 | Ring nut | .65N | 1906 7700 | Screw | .45 |
| 1876 5201 | Instr. panel | 10.80 | 1906 7900 | Crown gear | 74.00B |
| 1876 5250 | Lower part instr. | | 1908 2600 | Press. plate | 36.80 |
| | panel | 10.80 | 1908 3400 | Cup | 19.60 |
| 1876 6201 | Cover | 11.90 | 1908 3401 | Cup | 19.60 |
| 1876 6850 | Plug | .35 | 1908 4450 | Plate | 39.80 |
| 1876 7201 | Tachometer | 63.80B | 1908 5701 | Rod | 14.20 |
| 1876 9101 | Instr. panel | 29.80B | 1909 3051 | Cl. cable | 10.80 |
| 1876 9120 | Instr. panel | 29.80B | 1910 0251 | Red tank | |
| 1892 3320 | Moulding set Gold | 11.50N | Refer to: 1910 0254 | | |
| 1892 3340 | Transfer kit | 8.50N | 1910 0252 | Gas tank | |
| 1892 3351 | Moulding set Black | 12.50N | Refer to: 1910 0253 | | |
| 1892 3352 | Moulding set White | 12.50N | 1910 0253 | Tank Blue | 220.00B |
| 1894 1050 | Leg protection RH | 4.20 | 1910 0254 | Gas tank Red | 220.00B |
| 1894 1450 | Leg protection LH | 4.220 | 1910 0257 | Tank | 220.00B |
| 1894 1750 | Insulator | 1.50 | 1910 2750 | Tank strap | 3.80 |
| 1894 1850 | Washer | .40 | 1910 3950 | Tank cap locking | |
| 1899 9050 | Gasket set | 35.80 | | type | 27.80 |
| 1899 9550 | Oil retainer set | 57.80 | 1910 4950 | Clasp | .30 |
| 1900 1200 | Gasket | 3.60 | 1910 6550 | Fuel pipe | 9.80B |
| 1900 1400 | Cover | 98.00 | 1911 2650 | Carb. RH VHB 24 | 58.00B |
| 1900 3400 | Cover | 4.20 | Refer to: 1911 2670-When 0 | | |
| 1900 7700 | Rubber block | .75 | 1911 2651 | Carb. LH VHB 24 | 58.00B |
| 1901 6300 = | 01-Plug | 6.50 | Refer to: 1911 2671-When 0 | | |
| 1902 0800 | B. gasket | 1.20 | 1911 4400 | Air intake | 2.20 |
| 1902 1300 | Bushing | 4.20 | 1911 5050 | RH Manifold | 20.80 |
| 1902 2050 | H. Gasket | 4.20 | 1911 5051 | LH Manifold | 20.80 |
| 1902 2150 | RH Cyl. head | 162.00B | 1911 5500 | Gasket | 1.10 |
| 1902 2250 | LH Cyl. head | 162.00B | 1911 7500 = | 7550-Thr. cable | 6.80 |
| 1902 3501 | Rocker cover | | 1912 0700 | RH Ex. pipe | 68.80 |
| | polished | 56.80 | 1912 0705 | LH Ex. pipe | 68.80 |
| 1902 3700 | Gasket | 1.05 | | | |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|--------------------|--------------|--------------|--------------------|--------------|
| 1912 2900 | Muffler | | 1935 5200 | Shim 0.1mm | .40 |
| Refer to: | 1912 2902 | | 1935 5202 | Shim 0.15 | .40 |
| 1912 2901 | LH Muffler | | 1943 2000 | Side stand | 15.20 |
| Refer to: | 1912 2902 | | 1943 6500 | Screw eye | 1.05 |
| 1912 2902 | LH Muffler | 129.80 | 1943 6600 | Plate | 1.30 |
| 1912 3000 | Muffler | | 1943 8700 | Wheelshield | 8.20 |
| Refer to: | 1912 3002 | | 1945 0200 | Frnt. bumper | 39.80B |
| 1912 3001 | RH Muffler | | 1945 9800 | Frnt. Crashbar kit | 42.80B |
| Refer to: | 1912 3002 | | 1946 1650 | Rubber ring | 1.05 |
| 1912 3002 | RH Muffler | 129.80 | 1947 6251 | RH Cover Red | 56.80 |
| 1912 8600 | Plate | 7.80 | 1947 6252 | RH Cover Blue | 56.80 |
| 1912 8601 | Plate | 7.80 | 1947 6254 | RH Cover Red | 62.80 |
| 1913 3500 | Cable | 2.20 | 1947 6255 | RH Cover Blue | 62.80 |
| 1913 4000 | Cable | 2.20 | 1947 6351 | LH Cover Red | 56.80 |
| 1914 8400 | Inside rotor | 12.80 | 1947 6352 | LH Cover Blue | 56.80 |
| 1914 8600 | Outside rotor | 17.20 | 1947 6354 | LH Cover Red | 62.80 |
| 1915 3000 | Filter | 11.60 | 1947 6355 | LH Cover Blue | 62.80 |
| 1915 7800 | Clamp | 1.10B | 1947 8160 | RH Cover Grill | 3.20 |
| 1915 9600 | Breather oil line | 10.40 | 1947 8250 | LH Cover Grill | 3.20 |
| 1920 0200 | Trans. case | 67.80B | 1948 2593 | RH Bag Black | 125.00N |
| 1920 0300 | Gasket | 3.15 | 1948 2597 | LH Bag Black | 125.00N |
| 1920 0400 | Cl. housing | 82.50 | 1949 0200 | Frnt. fork | 375.00B |
| 1920 1100 | Gasket | 2.40 | 1949 0302 | Frnt. fork | 375.00B |
| 1920 6501 | Vent plug | 3.40 | 1950 4800 | Screw-support | 4.80B |
| 1921 0501 | Mainshaft | 94.80 | 1952 2500 | RH Fork leg | 57.80B |
| 1921 0700 | L/Shaft 13T | 73.50 | 1952 2600 | LH Fork leg | 57.80B |
| 1921 0750 | L/Shaft 14T | 73.50 | 1954 0200 | Rear fork | 82.00B |
| 1921 1100 | Inter. gear 24T | 24.80B | 1954 7000 | Pin | 9.20 |
| 1921 1105 | Gear | 24.80B | 1954 8001 | Gaiter | 4.10 |
| 1921 1400 | Gear 3rd 18T MS | 36.80 | 1955 0200 | Rear shock | 67.50 |
| 1921 2800 | Washer - shim | 1.90B | 1957 5393 | Fairing | 179.00N |
| 1921 3600 | Layshaft | 75.50 | 1957 7590 | Plate | 2.20 |
| 1921 3800 | Plate | 3.70 | 1957 8960 | Gasket | 6.90 |
| 1921 4800 | Gear 3rd 23T LS | 48.50 | 1960 5400 | Br. lever compl. | 47.50 |
| 1921 5200 | Gear 5th 20T LS | 43.50 | 1960 5501 | Cl. lever compl. | 47.50 |
| 1923 1000 | Shift fork | 66.50 | 1961 0200 | Frnt. wheel compl. | 279.00B |
| 1923 1200 | Shift fork | 66.50 | 1961 0250 | Frnt. wheel compl. | 279.00B |
| 1923 4400 | Sp.lined shaft | 47.80B | 1961 0300 | Frnt. wheel bare | 162.00B |
| 1923 5900 | Lock plate | .30 | 1963 0600 | Rear wheel bare | 162.00B |
| 1923 6200 | Pre-selection | | 1963 2500 | Rubber coupling | 7.80 |
| | complete | 52.80 | 1963 4100 | Spacer | 9.80 |
| 1923 7800 | Screw | 5.70 | 1965 9500 | Union kit | 4.40B |
| 1925 7800 | Rod | 3.20 | 1965 9600 | Lever pin kit | 2.80B |
| 1925 8200 | Lever | 23.20 | 1965 9700 | Screw eye | .65 |
| 1926 0301 | Starter lever | 67.50 | 1966 2600 | Spring | 1.05 |
| 1932 7701 | Sleeve | 22.40 | 1970 4800 | B. Clamp | 10.90 |
| 1932 8001 | U Joint | 74.00B | 1970 7100 | Rubber cap | .95 |
| 1932 8801 | Sleeve | 11.40 | 1971 8000 | Clamp | .60 |
| 1935 0300 | Rear drive | | 1972 1300 | Capacitator compl. | |
| | housing | 86.00 | | box w/l pick-up | 79.00N |
| 1935 0401 | Cover | 45.80 | 1972 1400 | Electr. gearbox | 55.00N |
| 1935 0700 | Gasket | .50 | 1972 2200 | Wire assy. w/pick | |
| 1935 1200 | Oil filler cap | 4.80 | | up | 57.00N |
| 1935 2401 | Flange | 45.80 | 1973 3350 | Protection | 6.20 |
| 1935 4601 | Bevel gear set | | 1973 6801 | Switch | 41.80 |
| | 8/31 | 94.00B | 1974 0305 | Nut | .15 |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|---------------------|-------------------------------------|--------------|---------------------|--------------------|--------------|
| 1974 0306 | Pin | .30 | 3965 9100 | Pins kit | 5.40 |
| 1974 0309 | Rubber grommet | .45 | 3974 0400 | Seal beam | 35.80B |
| 1974 0454 | Headlite rim | 23.80 | 3974 0530 | Spring | .55 |
| 1974 0455 | Seal beam | 37.80 | 3974 1101 | Stop switch | 8.50 |
| 1974 0550 | Headlite | 129.50 | 3978 2500 | Steering lock | 14.60 |
| 1974 2050 | Nut | 1.05 | 3991 7300 | Mark | 9.10 |
| 1974 3000 | Fuse box | 12.90 | 4043 4000 | Spring | 1.30 |
| 1974 7100 | Cable kit | 47.50 | 4091 7800 | Decal | .80N |
| 1974 7200 | Cable kit | 29.80 | 4143 2100 | Spacer | .75 |
| 1974 7201 | Cable set | 29.80 | 4326 2180 | Rubber | 1.75 |
| 1975 0650 | Turn signal light front RH | 19.80 | 4333 6301 | Chain tensioner | 2.05 |
| 1975 0651 | Turn signal light front LH | 19.80 | 4343 3120 | Pin | .85 |
| 1975 0656 | Turn signal light w/stem rear RH | 24.80 | 4393 2200 | Gasket | .30 |
| 1975 0657 | Turn signal light w/stem rear LH | 24.80 | 4393 4000 | Filter | 1.25 |
| 1975 1670 | Rear RH Ind. | 29.80 | 4393 5000 | Cover | 3.20 |
| 1975 1671 | Rear LH Ind. | 29.80 | 4393 6600 | Screw | .70 |
| 1976 0400 | Speedo cable | 9.60 | 4393 8100 | Spring | .50 |
| 1976 1600 | Speedo in miles | 89.00B | 4393 8200 | Pin | .85 |
| 1976 3200 | Screw eye | 1.05 | 4393 8600 | Screw | 1.10 |
| 1991 8400 | Plate | 1.05 | 4543 3120 | Pin | .95 |
| 1992 2051 | Mark | 6.10 | 4560 1201 | Screw | 3.80 |
| 1999 9050 | Gasket set | 35.80 | 4560 5800 | Roller | .95 |
| 2565 6100 | Gasket (Seal) | .50 | 4561 4600 | Hub cap | 2.20 |
| 2565 6101 | Gasket | .50 | 4561 4800 | Nut | .75 |
| 2565 7001 | Stop light switch | 8.80 | 4561 5000 | Cone | 2.15 |
| 2570 4500 | Battery | 51.90N | 4562 2600 | Cam | 1.70 |
| 2573 0712 | Washer | .25 | 4563 4600 | Cap | NA |
| 2573 0728 | Block | 1.45 | 4563 4700 | Bush | .30 |
| 2573 0745 | Spring | .80 | 4571 7450 | Cap | |
| 2573 0748 | Spring | 2.20 | Refer to: 1471 7400 | | |
| 2573 0771 = | 1273 0752-Brush holder | 29.80 | 4611 0201 | Boot | 7.90 |
| 2574 1325 | Protective cap | 1.10 | 4633 3101 | Chain link | .90N |
| 2574 1501 | Flasher | 6.80 | 4643 0301 | Stand | 12.20 |
| 2626 7200 | Pawl | .95 | 4663 5000 | Stop plate | 1.35 |
| 2673 4900 | Starter button | | 4693 8600 | Screw | .45 |
| Refer to: 2673 5001 | | 6.80 | 4800 0170 | Crankcase | 65.80 |
| 3500 2000 | Dowel | 1.15 | 4800 0370 | Flywheel cover | 10.90 |
| 3533 3100 | Chain link | .90N | 4800 0470 | Left cover | 8.30 |
| 3570 8600 | Condenser | 5.40 | 4800 0870 | Left crankcase | 27.50 |
| 3591 7300 | Transfer decal | 1.40 | 4800 0970 | Gasket | 1.10 |
| 3593 4600 | Pipe | 1.90 | 4800 1170 | Right crankcase | 27.50 |
| 3593 4670 | Union | 2.05 | 4800 1770 | Gasket | 1.10 |
| 3901 8800 | Oil plug | .90 | 4802 0370 | Cylinder | 65.80 |
| 3923 1070 | L.S. Fork | 49.80 | 4802 2470 | Cylinder head | 14.20 |
| 3923 1270 | M.S. Fork | 49.80 | 4806 1470 | Conn. rod | 47.80 |
| 3944 0700 | RH Footrest | 9.20 | 4806 4070 | Crankshaft | 62.80B |
| 3944 1800 | LH Footrest | 9.20 | 4808 5570 | Clutch rod | 3.40 |
| 3947 4600 | # Plate holder | 12.30 | 4808 6870 | Washer | .85 |
| 3949 3101 | Fork head | 57.80 | 4811 2670 | Carburetor | 26.80B |
| 3949 4002 | Fork yoke | 79.80 | 4811 5070 | Int. manifold | 6.50 |
| 3950 4501 | Upper plug | 8.40 | 4811 5570 | Shim | .95 |
| | | | 4811 7570 | Throttle cable | 3.15 |
| | | | 4812 0370 | Gasket | .45 |
| | | | 4821 3670 | Trans.shaft | 18.20 |
| | | | 4826 1470 | Pedal RH | 9.40 |
| | | | 4826 1475 | Pedal LH | 9.40 |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|------------------------------|--------------------|--------------|------------------------------|--------------------|--------------|
| 4826 1571 | Pedal arm | 9.40 | 4896 0670 | Rear mudguard | |
| 4826 1576 | Left pedal arm | | | Orange | 28.90 |
| | w/gear | 16.90 | 4896 0770 | Rear mudguard | 28.90 |
| 4826 4870 | Bushing | 2.70 | 4896 0970 | Fork Orange | 69.00B |
| 4833 0570 | Chain pinion | 16.10B | 4896 1070 | Fork Blue | 69.00B |
| 4846 0570 | Seat | 34.00B | 4896 1970 | Rear fork White | 69.00B |
| 4852 4571 | Cap | .85 | 4896 2070 | Frnt. fork White | 69.00B |
| 4854 0270 | Rear fork | | 4896 2270 | Rear mudguard | |
| Refer to: 4896 0570 | | | | White | 28.90 |
| 4855 0201 | Rear suspension | | 4896 2370 | Rear mudguard | |
| | shock | 19.80 | | Orange | 28.90 |
| 4855 5100 | Cap | 1.30 | 4896 2470 | Frnt. fender White | 28.90 |
| 4857 9070 | Eng. crashbar | 15.80 | 4896 2770 | Rear mudguard | |
| 4860 1370 | Fixing block | 4.80 | | Blue | 28.90 |
| 4860 3090 | Grip | 2.10 | 4899 1070 | Compl. engine | |
| 4860 3590 | Grip | 2.10 | | w/carb. | 249.00N |
| 4861 0290 | Front wheel | 74.00 | 4943 4300 | Frnt.fender Orange | 28.90 |
| 4861 2990 | Frnt. hub | 34.00 | 4943 4301 | Frnt.fender Blue | 28.90 |
| 4863 0290 | Rear wheel compl. | 82.00 | 4943 4306 | Frnt.fender Orange | 28.90 |
| 4863 2270 | Rear hub | 32.00 | 4951 5000 | Cap | 2.40 |
| 4863 3270 | Hub spindle | 2.40 | 4961 0200 | Frnt. wheel compl. | 74.00 |
| 4863 3870 | Sprocket | 17.20 | 4961 0800 | Wheel rim | 20.80 |
| 4863 4370 | Nut | .60 | 4961 2200 | Frnt. hub | 34.00 |
| 4867 9370 | Rear br. cable | 3.50 | 4961 4100 | Hub spindle | 2.80 |
| 4870 9570 | Greaser | .40 | 4961 4300 | Nut | .60 |
| 3871 2471 | Flywheel compl. | | 4961 6000 | Spacer | .40 |
| | early type | | 5310 3900 | Tank cap | 10.40 |
| Refer to: 4871 2490 | | | 5350 0240 | Clamp | 7.20 |
| 4871 5070 | Coil | 32.00 | 5352 4540 | Dust guard | 5.90 |
| 4871 5090 | H.T. Coil | 23.40 | 5352 7640 | Lower cap | 1.80 |
| 4871 5170 | Light coil | 15.80 | 5352 7840 | Tube | 13.40 |
| 4871 5190 | Light coil | 23.40 | 5393 5900 | Jet | |
| 4873 5380 | Device | 10.20 | Refer to: 1486.02(All sizes) | | 2.25 |
| 4873 6080 | Switch | 9.60 | 5410 3901 | Cap | 12.60 |
| 4874 0490 | H.L. Rim | | 5455 0200 | Shock | 35.80 |
| Refer to: 4874 0491 | | | 5500 0900 | Gasket | 1.10 |
| 4874 0491 | Headlight rim | 8.60B | 5500 1200 | Gasket | 1.10 |
| 4874 0495 | Bulb holder | 3.20 | 5500 1700 | Gasket | .15 |
| 4874 0592 | Headlight | 59.00 | 5502 0800 | Gasket | .70 |
| 4874 3790 | Horn | 9.40 | 5503 6025 | Inlet valve | 17.80 |
| 4874 7191 | Wiring harness | | 5503 6626 | Valve guide | 11.60 |
| | compl. w/switch | 22.00B | 5504 5050 | Push rod | 23.20 |
| 4876 1690 | Speedometer | 22.50N | 5504 5800 | Tappet | 9.20 |
| 4876 1691 | Speedometer | 22.50N | 5506 0625 | Piston rings std. | 15.20 |
| 4880 2570 | Spring | .50 | 5506 0626 | Ring 1st ovs. | 15.20 |
| 4892 2090 | Decal | .60 | 5506 0627 | Ring 2nd ovs. | 15.20 |
| 4892 2091 | Transfer | .60 | 5506 0628 | Ring 3rd ovs. | 15.20 |
| 4893 2170 | Clamp | | 5506 0629 | Ring 4th ovs. | 15.20 |
| Refer to: 3593 8800 | | | 5506 0650 | Ring set | 15.20 |
| 4893 4670 | Pipe | | 5508 2201 | Disk | 5.40 |
| Refer to: 3593 4600 | | | 5508 2301 | Disk | 5.40 |
| 4893 5770 | Main jet | | 5508 5500 | Clutch rod | 1.90 |
| Refer to: 1486.02(All sizes) | | 2.25 | 5509 3075 | Cable | 3.30 |
| 4896 0370 | Rear fork Orange | 69.00B | 5510 3425 | Buffer | 1.35 |
| 4896 0470 | Rear fork Blue | 69.00B | 5510 3525 | Bush | 4.70 |
| | | | 5510 3900 | Filler cap | 10.80B |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|---------------------|--------------------|--------------|--------------|--------------------|--------------|
| 5510 5000 | Shut off | 6.20 | 7106 0312 | Piston 6/10 3rd | |
| 5523 4700 | Pawl | 8.60 | | ovs. | 30.80 |
| 5523 5000 | Shim | .30 | 7171 6510 | Coil | 28.90 |
| 5523 5001 | Shim | .30 | 9011 8152 | Washer | .75 |
| 5523 5002 | Shim | .30 | 9011 8247 | Washer | 1.45 |
| 5523 5003 | Shim | .30 | 9027 1025 | Circlip | .50 |
| 5523 8200 | Spring | 1.05 | 9027 1027 | Circlip | .50 |
| 5525 1000 | Rubber | 2.05 | 9027 1121 | Circlip | .75 |
| 5533 6301 | Chain adjuster | 2.80N | 9027 1123 | Circlip | .80 |
| 5544 2300 | Footrest | 8.60 | 9027 2035 | Stop ring | .55 |
| 5544 3385 | Rubber | 2.85 | 9027 2047 | Circlip | .95 |
| 5560 3000 | Rubber grip | 3.20 | 9027 2058 | Circlip | 1.20 |
| 5560 3400 | Twist grip | 17.80 | 9027 2062 | Circlip | 1.20 |
| 5560 3500 | Rubber grip | 3.20 | 9028 0005 | Washer-ring | .15 |
| 5561 1500 | Spoke w/nipple | .75 | 9028 0006 | Ring | .15 |
| 5562 5475 | Brake cable | 3.20 | 9035 1017 | Circlip | .50 |
| 5571 5100 | Lighting coil | NA | 9035 1037 | Circlip | .40 |
| 5571 6500 | Coil | 26.80B | 9040 0616 | Seal | 1.75 |
| 5574 1100 | S.L. Switch | 8.90 | 9040 1423 | Seal ring | 4.60 |
| 5576 0426 | Speedo cable | 5.00 | 9040 1630 | Seal ring | 2.05 |
| 5590 1900 | Wrench | 3.40 | 9040 2030 | Seal ring | 2.40 |
| 5591 9425 | Decal | 2.25 | 9040 2535 | Seal | 2.90 |
| 5591 9525 | Decal | 2.25 | 9040 2839 | Seal | 3.20 |
| 5593 2900 | Washer | .20 | 9040 3040 | Seal | 2.90 |
| 6100 2100 | Bush | 1.40 | 9040 3242 | Seal | 2.90 |
| 6102 5200 | Gasket | .80 | 9040 3247 | Seal | 2.90 |
| 6102 7200 | Gasket | .70 | 9040 3249 | Seal | 2.90 |
| 6103 7000 | Lower plate | 2.40 | 9040 3252 | Srng | 2.90 |
| 6103 7600 | Inner spring | 1.80 | 9040 3253 | Seal ring | 3.60 |
| 6103 7801 | Cap | 1.45N | 9040 3546 | Seal | 2.90 |
| 6103 8100 | Cotter | 2.40 | 9040 3547 | Seal | 3.60 |
| 6106 1300 | Retaining ring | .30 | 9040 3548 | Seal | 3.60 |
| 6110 8400 | Clamp | .60 | 9040 3550 | Ring | 3.60 |
| 6110 8500 | Clip | .60 | 9040 4563 | Seal ring | 8.60 |
| 6111 4300 | Sleeve | 3.25 | 9040 5367 | Seal | 11.40 |
| 6127 0300 | Washer | .15 | 9040 7085 | Seal | 8.60 |
| 6150 4540 | Plug | 13.90 | 9040 7590 | Seal | 8.60 |
| 6160 9601 | Clamp | .25 | 9051 1730 | Seal | 8.60 |
| 6170 4200 | Cover | | 9070 6035 | Grommet | .70 |
| Refer to: 1470 4205 | | | 9070 6076 | Seal | .60 |
| 6171 2500 | Connector | 2.10 | 9070 6090 | Seal | .60 |
| 6171 2600 | Connector | 2.95 | 9070 6107 | Seal ring | .60 |
| 6193 4800 | Valve | 8.90 | 9070 6108 | O Gasket | .60 |
| 6352 2500 | Fork leg RH | | 9070 6140 | O Ring | .60 |
| Refer to: 1452 2550 | | | 9070 6150 | Seal | .60 |
| 6352 2600 | Fork leg LH | | 9070 6158 | O Ring | 1.05 |
| Refer to: 1452 2650 | | | 9070 6163 | Rubber | .60 |
| 6365 7000 | Stop switch | 9.40 | 9070 6203 | O Ring | .60 |
| 6560 3420 | Throttle control | 35.80 | 9070 6219 | O Ring | .60 |
| 6574 0900 | Taillight | 25.80B | 9070 6222 | Seal | .60 |
| 6574 1700 | Lens cap for tail- | | 9070 6235 | Seal | .60 |
| | light | 8.60 | 9070 6238 | Washer | .60 |
| 7106 0210 | Piston std. | 30.80 | 9070 6282 | Gasket-seal | .60 |
| 7106 0310 | Piston 2/10 ovs. | 30.80 | 9070 6332 | Seal | .60 |
| 7106 0311 | Piston 4/10 2nd | | 9070 6460 | O Ring | .60 |
| | ovs. | 30.80 | 9070 6523 | O Ring | .95 |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|--------------------|--------------|--------------|--|--------------|
| 9070 6584 | Gasket | .85 | 9170 1237 | Key | .60 |
| 9070 6600 | O Ring | 1.25 | 9170 1350 | Key | .60 |
| 9071 4051 | Washer | .25 | 9170 2355 | Woodruff key | 1.30 |
| 9071 4060 | Gasket | .25 | 9177 0095 | Key | 1.80 |
| 9071 4062 | Gasket | .25 | 9180 6204 | Rivet | .20 |
| 9071 4080 | Gasket | .25 | 9185 7310 | Rivet | .20 |
| 9071 4101 | Washer | .25 | 9220 1070 | Bearing | 25.80B |
| 9071 4103 | Gasket | .25 | 9220 1117 | Bearing | 11.20 |
| 9071 4113 | Gasket | .25 | 9220 1120 | Bearing | 12.90 |
| 9071 4123 | Gasket | .25 | 9220 1215 | Ball bearing | 8.75 |
| 9071 4124 | Washer | .25 | 9220 1216 | Bearing | 8.75 |
| 9071 4126 | Gasket | .25 | 9220 1220 | Bearing | 11.20 |
| 9071 6057 | Gasket | .25 | 9220 1222 | Bearing | 14.80 |
| 9071 6067 | Spacer | .25 | 9220 1225 | Bearing | 15.90 |
| 9071 6083 | Insulat. washer | .25 | 9220 1417 | Bearing | 15.90 |
| 9071 6103 | Spacer | .60 | 9220 1419 | Bearing | 22.20 |
| 9071 6104 | Spacer | .60 | 9220 1420 | Bearing | 22.20 |
| 9071 6135 | Rubber ring | .50 | 9220 4217 | Ball bearing | 18.60 |
| 9071 6139 | Rubber ring | .50 | 9220 4218 | Bearing | 22.20 |
| 9071 6142 | Grommet rubber | .50 | 9220 4220 | Bearing | 18.60 |
| 9111 1516 | Bushing | 4.40 | 9220 4221 | Bearing | 17.50 |
| 9111 1520 | Bushing | 5.40 | 9220 4228 | Bearing | 24.80 |
| 9111 2122 | Bushing | 5.60 | 9220 4230 | Ball bearing | 19.80 |
| 9111 2124 | Bushing | 7.20 | 9221 8424 | Bearing | 21.80B |
| 9112 2714 | Bushing | 7.80 | 9223 4717 | Bearing | 23.80B |
| 9112 2716 | Bushing | 7.80 | 9224 6922 | Bearing | 17.80B |
| 9118 0404 | Spacer | 1.50 | 9224 9216 | Bearing | 18.40B |
| 9118 0607 | Spacer | 1.20 | 9224 9225 | Bearing | 29.80 |
| 9118 0709 | Spacer | .95 | 9224 9227 | Taper. roller bearing | 17.80B |
| 9118 0710 | Spacer | .95 | 9225 2012 | Roll cage | 4.80 |
| 9118 0718 | Spacer | 2.40 | 9225 4340 | Bearing | 27.80 |
| 9118 0721 | Bush | 1.05 | 9225 6218 | Bearing | 17.50 |
| 9118 0810 | Spacer | .95 | 9225 8525 | Bearing | 5.90 |
| 9118 0816 | Spacer | .95 | 9225 9017 | Race | 4.80 |
| 9118 0856 | Spacer | .95 | 9260 1004 | Nut | .15 |
| 9118 0907 | Spacer | 1.25 | 9260 1206 | Nut | .15 |
| 9118 0911 | Spacer | 1.05 | 9260 2204 | Nut | .15 |
| 9118 0912 | Spacer | 1.25 | 9260 2206 | Nut | .18 |
| 9118 0915 | Bushing | 1.25 | 9260 2208 | Nut | .30 |
| 9118 0944 | Spacer | 1.70 | 9260 2308 | Nut | .15 |
| 9118 1005 | Spacer | .70 | 9260 2316 | Nut | .65 |
| 9118 1110 | Bush | 1.30 | 9260 2512 | Nut | .55 |
| 9118 1112 | Spacer | 1.25 | 9260 2516 | Nut | .70 |
| 9118 1803 | Spacer | 2.20 | 9260 2518 | Nut | .65 |
| 9155 1070 | Cap | .35 | 9260 3206 | Nut | .45 |
| 9155 1081 | Grommet | .35 | 9260 3316 | Nut | .65 |
| 9155 1082 | Rubber | .35 | 9263 0105 | Nut | .60 |
| 9155 1085 | Rubber block | .35 | 9263 0106 | Nut | .40 |
| 9155 1102 | Grommet | .35 | 9263 0108 | Nut | .70 |
| 9155 1120 | O Ring | .60 | 9263 0110 | Nut | .55 |
| 9155 1131 | Ring | .60 | 9263 0206 | Nut | .45 |
| 9155 1165 | Grommet | .60 | 9263 0508 | Nut | .40 |
| 9160 0238 | Key | .60 | 9263 0510 | Nut | .45 |
| 9160 0337 | Key | .60 | 9269 0073 | Chrome nut (Could replace w/9270 0073 | .60N |
| 9160 0338 | Key | | | | |

Refer to: 9160 0337

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|--------------------------|--------------|--------------|--------------------|--------------|
| 9270 0072 | Nut | .35 | 9500 4204 | Washer | .12 |
| 9270 0073 | Nut | .25 | 9500 4208 | Washer | .20 |
| 9270 1087 | Nut | .30 | 9500 4210 | Washer | .15 |
| 9270 1106 | Nut | .55 | 9500 4213 | Washer | .25 |
| 9270 1113 | Nut | .45 | 9500 4215 | Washer | .25 |
| 9270 1120 | Nut | .40 | 9500 5208 | Chrome washer | .40 |
| 9270 1122 | Nut | .75 | 9500 7208 | Washer | .40 |
| 9270 1153 | Nut | 1.20B | 9502 1105 | Spring washer | .12 |
| 9275 0082 | Nut | 2.75 | 9502 1106 | Washer | .20 |
| 9275 0093 | Nut | .65 | 9502 1107 | Washer | .25 |
| 9278 1061 | Cap nut | 1.10B | 9502 1108 | Washer | .12 |
| 9278 1100 | Cap nut Chrome | 1.40N | 9502 1109 | Washer | .12 |
| 9285 0752 | Decal | .90B | 9502 1110 | Washer | .12 |
| 9285 1122 | Decal | NA | 9502 8022 | Washer | .35 |
| 9311 0060 | Spacer | .18 | 9502 8025 | Washer | 1.95 |
| 9311 0067 | Rubber spacer | .20 | 9509 0141 | Washer | .70 |
| 9318 0060 | Plug | .25 | 9510 0059 | Washer | .35 |
| 9318 0105 | Grommet | .25 | 9510 0116 | Washer | .40 |
| 9318 0220 | Plug | .45 | 9510 0121 | Washer | .12 |
| 9318 0535 | Rubber plug | .15 | 9510 0125 | Washer | .12 |
| 9318 0706 | Rubber | .70 | 9510 0137 | Washer | .12 |
| 9330 1313 | Bracket | .45 | 9510 0141 | Washer | .12 |
| 9330 5025 | Clamp | 2.40 | 9510 0142 | Washer | .35 |
| 9340 0363 | Nipple for cable | .20N | 9510 0173 | Washer | .25 |
| 9340 0863 | Faston nut | .20N | 9510 0222 | Washer | .12 |
| 9340 0962 | Faston joint | .20N | 9510 0223 | Washer | .12 |
| 9345 0113 | Bulb 6v5 | 1.25 | 9510 0250 | Washer | .30 |
| 9345 0118 | Bulb 6v21 | 1.85 | 9510 0251 | Washer | .30 |
| 9345 0119 | Bulb | .95N | 9510 0255 | Washer | .40 |
| 9345 0123 | Lamp | .95N | 9510 0256 | Washer | 1.15 |
| 9345 0129 | Bulb | 1.20N | 9510 0311 | Washer | .12 |
| 9345 0130 | Bulb | 1.90 | 9510 0337 | Washer | .65 |
| 9345 0213 | Bulb | 1.80N | 9510 0463 | Washer-spacer | .60 |
| 9360 1022 | Lock ring | 6.80 | 9510 0521 | Washer | .45 |
| 9360 1026 | Lock ring | 2.80 | 9510 0559 | Spacer | 2.10 |
| 9370 1241 | Lock ring | 6.20 | 9510 0624 | Washer | .90 |
| 9376 0072 | Cable adj. nut chrome | 1.60B | 9510 0628 | Washer | .50 |
| 9402 0060 | Grease fitting | .65 | 9510 0727 | Washer | .12 |
| 9432 1049 | Spring | .65 | 9510 1171 | Washer | .12 |
| 9432 1051 | Spring | .40 | 9510 1275 | Washer-spacer | .45 |
| 9432 1058 | Spring | .15 | 9510 1430 | Washer | .12 |
| 9432 1063 | Spring | .65 | 9511 0141 | Chrome washer | .45 |
| 9432 1064 | Spring | .50 | 9511 0142 | Washer | 1.45 |
| 9432 1067 | Spring | .95 | 9511 0255 | Washer | .50 |
| 9432 1070 | Spring | .75 | 9512 0053 | Washer | .12 |
| 9432 2215 | Spring | .40 | 9512 0065 | Washer | .12 |
| 9500 0204 | Washer | .12 | 9512 0105 | Washer | 1.05 |
| 9500 0205 | Washer | .12 | 9512 9080 | Washer | .12 |
| 9500 0208 | Washer | .18 | 9512 9100 | Washer | .12 |
| 9500 0209 | Washer | .70 | 9512 9110 | Washer | .35 |
| 9500 0210 | Washer | .15 | 9512 9130 | Shake proof washer | .90 |
| 9500 0213 | Washer | .15 | 9512 9180 | Washer | .12 |
| 9500 1204 | Washer | .12 | 9512 9250 | Washer | .12 |
| 9500 1206 | Washer | .12 | 9518 7006 | Stop plate | .30 |
| 9500 1208 | Washer | .15 | 9540 1320 | Cotter pin | .12 |
| | | | 9550 0222 | Cotter pin | .12 |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|--------------------|--------------|---------------------|--------------------|--------------|
| 9550 0325 | Cotter pin | .12 | 9805 4220 | Screw | .25 |
| 9551 2042 | Pin-roller | 1.60 | 9805 4308 | Screw | .25 |
| 9551 2060 | Pin | 1.60 | 9805 4310 | Adj. screw | .25 |
| 9551 2062 | Pin | 1.05 | 9805 4312 | Screw | .25 |
| 9571 6380 | Pin | 3.40 | 9805 4314 | Screw | .25 |
| 9574 0175 | Fork Chrome | 8.90 | 9805 4316 | Bolt | .25 |
| 9577 0265 | Pin | 1.40N | 9805 4318 | Screw | .25 |
| 9578 0265 | Pin | .95N | 9805 4320 | Screw | .25 |
| 9578 0271 | Pin | 3.40 | 9805 4325 | Screw | .45 |
| 9578 0275 | Pin | 3.20 | 9805 4335 | Screw | .20 |
| 9579 0233 | Screw | 1.65 | 9805 4412 | Bolt | .25 |
| 9579 0237 | Screw | 1.75 | 9805 4414 | Screw | .25 |
| 9595 0360 | Oil return conn. | 5.40 | 9805 4420 | Screw | .30 |
| 9595 0470 | Oil connector | 7.40 | 9805 4422 | Screw | .40 |
| 9598 0210 | Plug | 1.35 | 9805 4425 | Bolt | .40 |
| 9598 5136 | Tube | 4.90 | 9805 4440 | Screw | .45 |
| 9598 5532 | Pipe | 1.50 | 9805 4520 | Screw | .45 |
| 9598 5616 | Pipe | 2.40 | 9805 4522 | Screw | .45 |
| 9598 5712 | Fuel line, short | 1.45 | 9806 2325 | Screw | .30 |
| 9598 5720 | Fuel line, long | .90 | 9806 2335 | Screw | .45 |
| 9599 0033 | Screw | 3.20B | 9806 2430 | Screw | .50 |
| 9599 0037 | Screw | 3.80 | 9806 2440 | Screw | .55 |
| 9599 0065 | Hollow bolt | 1.70B | 9806 2535 | Screw | .30N |
| 9599 0066 | Screw | 3.90 | 9806 2545 | Screw | .50 |
| 9645 1430 | Bolt | .70 | 9806 4312 | Chrome screw | .40 |
| 9650 6026 | Stud | .70 | 9806 4314 | Chrome screw | .60 |
| 9650 6105 | Stud | .75 | 9806 4316 | Chrome screw | .60 |
| 9650 8021 | Stud bolt | .45 | 9806 4320 | Screw | .45 |
| 9650 8042 | Stud | .55 | 9806 4335 | Chrome screw | .70 |
| 9802 2328 | Screw | .40 | 9806 4416 | Screw | .70 |
| 9802 4310 | Screw | .25 | 9806 4418 | Screw | .50 |
| 9805 2220 | Screw | .30 | 9806 4420 | Chrome screw | .50 |
| 9805 2222 | Screw | .40N | 9806 4422 | Screw | .50 |
| 9805 2325 | Screw | .30 | 9806 4425 | Chrome screw | .50 |
| 9805 2326 | Screw | .40N | 9806 4530 | Chrome screw | .90 |
| 9805 2330 | Screw | .30 | 9806 4545 | Chrome screw | 1.05 |
| 9805 2340 | Screw | .55 | 9807 2325 | Black screw | .50 |
| 9805 2345 | Screw | .55 | 9807 2440 | Black screw | .50 |
| 9805 2355 | Bolt | .55 | 9807 4316 | Black screw | .45 |
| 9805 2430 | Screw | .45 | 9807 4320 | Screw | .70 |
| 9805 2435 | Screw | .45 | 9807 4416 | Black screw | .55 |
| 9805 2440 | Screw | .55 | 9807 4420 | Black screw | .55 |
| 9805 2445 | Screw | .55 | 9807 4425 | Black screw | .55 |
| 9805 2450 | Screw | .55 | 9810 6009 | Bolt | .20 |
| 9805 2455 | Screw | .65 | 9810 6011 | Bolt | .20 |
| 9805 2460 | Screw | .80 | 9810 6017 | Bolt | .25 |
| 9805 2465 | Screw | .80 | 9810 6021 | Bolt | |
| 9805 2470 | Screw | .80 | Refer to: 9805 4320 | | |
| 9805 2475 | Bolt | .80 | 9810 6022 | Bolt | .25 |
| 9805 2480 | Screw | .80 | 9810 6034 | Bolt | .25 |
| 9805 2485 | Screw | .80 | 9810 6043 | Bolt | .60 |
| 9805 2498 | Bolt | .90 | 9810 7011 | Bolt | NA |
| 9805 2499 | Screw | 1.15 | 9810 7035 | Bolt chrome | 1.30 |
| 9805 2570 | Screw | .70 | 9810 8038 | Bolt | 1.15 |
| 9805 4210 | Screw | .25 | 9810 8042 | Screw | .50 |
| 9805 4216 | Screw | .25 | 9811 0010 | Screw | 1.60 |

| <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> | <u>PART#</u> | <u>DESCRIPTION</u> | <u>PRICE</u> |
|--------------|--------------------|--------------|--------------|--------------------|--------------|
| 9811 0015 | Screw-plug | 1.60 | 82.391.0070 | Meter cable | 1.60yd. |
| 9820 0306 | Screw | .15 | 82.392.0080 | Hose | 1.60 |
| 9820 0408 | Screw | .15 | | | |
| 9820 0410 | Screw | .15 | | | |
| 9820 2440 | Screw Black | .50 | | | |
| 9820 2510 | Screw | .20 | | | |
| 9820 2530 | Screw | .25 | | | |
| 9826 0306 | Screw | .15 | | | |
| 9826 0416 | Screw Black | .70 | | | |
| 9827 0621 | Screw | .20 | | | |
| 9827 0627 | Screw Black | .70 | | | |
| 9828 0410 | Screw | .25 | | | |
| 9828 0412 | Screw | .25 | | | |
| 9828 0614 | Screw | .25 | | | |
| 9829 0511 | Screw Black | .70 | | | |
| 9829 0513 | Screw Black | .40 | | | |
| 9830 5009 | Screw | .15 | | | |
| 9830 5017 | Screw | .30 | | | |
| 9831 0610 | Screw | .25 | | | |
| 9831 0630 | Screw Black | .70 | | | |
| 9832 6013 | Screw | .60 | | | |
| 9832 6020 | Screw | NA | | | |
| 9832 6022 | Screw Black | .75 | | | |
| 9834 6010 | Screw Chrome | .65 | | | |
| 9861 2535 | Screw Black | 1.25 | | | |
| 9862 0222 | Screw | .50 | | | |
| 9862 0312 | Screw | .40 | | | |
| 9862 0325 | Screw | .40 | | | |
| 9862 0330 | Screw | .40 | | | |
| 9862 0335 | Screw | .40 | | | |
| 9862 0345 | Screw | .55 | | | |
| 9862 0350 | Screw | .55 | | | |
| 9862 0355 | Screw | .70 | | | |
| 9862 0365 | Screw | .70 | | | |
| 9862 0440 | Screw | .95 | | | |
| 9862 0445 | Screw | .90 | | | |
| 9862 0446 | Screw Black | .90 | | | |
| 9862 0540 | Screw | 1.15 | | | |
| 9862 1697 | Screw | 2.90 | | | |
| 9862 2320 | Screw | .40 | | | |
| 9862 2417 | Screw Black | .70 | | | |
| 9862 2522 | Screw | .70 | | | |
| 9862 2535 | Screw | .70 | | | |
| 9862 3430 | Screw | .45 | | | |
| 9862 3630 | Screw | .95 | | | |
| 9866 0450 | Screw | .30 | | | |
| 9866 0540 | Screw Chrome | 1.05 | | | |
| 9866 2535 | Screw | .70B | | | |
| 9866 3635 | Screw | NA | | | |
| 9882 2418 | Screw | .60 | | | |
| 9882 2420 | Screw | .60 | | | |
| 9882 2520 | Screw | .60B | | | |
| 9883 0225 | Screw Black | .60B | | | |
| 9883 0430 | Screw Black | .60B | | | |
| 9910 5083 | Screw | 3.20 | | | |
| 9910 5134 | Bolt | 4.20 | | | |